ahg

ANSCHÜTZ®

EN

2012 / 2013

The best marksmen in the world

rely on shooting jackets and trousers from ahg-Anschütz.

Eric Uptagrafft – USA
Small bore and large bore

- Runner-up World Champion 3x40 Large Bore 2002.
- Multiple World Cup winner in 2003, 2004 and 2005.
- Multiple National USA Champion and holder of national records.
- Holder of world record of 600 rings in prone position.
- World Cup Winner 2005 in prone position.
- World Cup Team Champion 2006 in prone position.



Harald Stenvaag – Norway
Air rifle and small bore rifle

- 6 times European Champion.
- 3 times World Champion.
- More than 30 medals in World Cups.
- Winner of the World Cup final.
- Norwegian Champion more than 50 times.
- Silver medal at the 1992 Olympics.
- Bronze medal at the 2000 Olympics.

Torben Grimmel – Denmark
Small bore

- Multiple Danish Champion.
- Holder of all Danish records in prone shooting (Juniors - open class/single and team).
- Silver medal at Sydney Olympic Games.
- World Cup Overall Winner.
- Multiple winner of Silver and Bronze Medals at World Cups.
- Multiple European Champion.

Tino Mohaupt – Germany
Air rifle

- Multiple German Champion.
- Multiple European Champion.
- 1st place at the 2000 International Competitions in Berlin, Suhl, Dortmund, Munich, Wiesbaden, Pilsen, Luxembourg and Zenica.
- Multiple German Team Champion.
- World Cup winner.

Jessica Mager – Germany
Air rifle and small bore rifle

- Multiple German Champion.
- Multiple European Champion.

Jaqueline Orth – Germany
Air rifle

- Multiple European Champion 2011.
- Multiple German Champion.
- Holder of several German and European records.

Anton Rizov – Bulgaria
Air rifle and small bore rifle

- 1st Place IWK 2012 (Munich).
- 2nd Place World Cup 2011 (Munich).
- 3rd Place EC 2011 (Belgrade).
- 3rd Place EC Juniors 2007.
- Multiple Bulgarian Champion.

Lars Walker – Germany
Air rifle and small bore rifle

- European Champion 2007.
- 3rd Place European Championship 2009.
- Co-holder of German record for air rifle wth 598 rings.
- Multiple German Champion.

www.ahg-anschuetz.de

"People are the key to success."

Lee Iacocca – top American manager, *1924

... and that is exactly what ahg-Anschütz stands for:

- People who help us refine our products and expand our product range with useful items.
- People who support and share our daily workload.
- People who have confidence in our brand and take our products out into the world.
- People who give us the strength to work towards our goals.

In this spirit I wish you much enjoyment with our ahg catalogue and hope that you will find what you are looking for.

Uwe Anschütz
CEO, ahg-Anschütz Handels GmbH

CONTENTS

PAGES

New products ..... 04 – 05

Shooting clothing / Clothing accessories ..... 06 – 29
+ leisure clothing, target slings, kneeling rolls.

Gun cases / Soft cases ..... 30 – 39
+ accessory storage, sports bags, rucksacks.

Spotting scopes / Iris discs / Optics ..... 40 – 47
+ tripods, aperture inserts, optical accessories.

Accessories / Gun care / Fan Shop ..... 48 – 69
+ weapon safety, bench rest accessories, measuring devices, ear and eye protection

Sporting rifles / ANSCHÜTZ accessories ..... 70 – 79

Hunting accessories ..... 80 – 81

New products

P.10

EVOTOP shooting jacket
Item No.: 95100

P.10

EVOTOP shooting trousers
Item No.: 95101

P.18

FUSE functional underwear
Item No.: 157

P.9

X-DRY Ventilation shooting jacket
Item No.: 176

P.9

X-DRY Ventilation shooting trousers
Item No.: 148

P.25

TOP STAR 5-finger glove
Item No.: 108

P.24

TRIGGER SHORT glove
Item No.: 121

P.36

SOFT CASE for hunters and target shooters
Item No.: 9213 (black); **Item No.: 9213C** (camo)

P.21

Prone mat
Item No.: 385

P.52

Precise Plus fore-end raiser block
Item No.: 1010

New products

P.51

Side shift for sight set
Item No.: 1015

P.48

"TOWER" raiser block
Item No.: 6928

P.48

"TOWER PLUS" raiser block
Item No.: 6929

P.51

Telescopic sight 1.5-5 x 24
Item No.: 4210

P.51

Barrel extension
Item No.: 4516

P.41

Prone tripod
Item No.: 463

P.41

GERMANY rifle stand
Item No.: 460

P.66

Qiang Yuan pellets
Item No.: 2104

P.64

Ceramic coating
Item No.: 563, 564, 565

Compressed air bottles
Item No.: 2120, 2121, 2122, 2123

P.64



Carbon cleaning rod incl. brush cleaning set
Item No.: 580

P.64

Cleaning accessories for cleaning rod
Item No.: 582 to 586

P.50

Centra Duplex
Item No.: 9767

STENVAAG DESIGN Skorpion model

Size information is available at www.ahg-anschuetz.de in the download area!

STENVAAG DESIGN

Based on the Stenvaag-Design jackets and trousers which have been well-known and successful in use for years, the Stenvaag Skorpion collection has been developed by consistent enhancements in cooperation with the national marksman, Harald Stenvaag.

The experience and results of countless World Championships and Olympic Games are now brought to bear in this new Stenvaag collection.

1 Shooting jacket STENVAAG-DESIGN SKORPION

High quality leather-canvas mixture with TOP GRIP padding, "Made in Germany".

- The offset sleeve on the supporting arm guarantees a precisely repeatable, distortion-free position for all disciplines.
- A multitude of possible height and angle adjustments for attaching the target sling optimise the transfer of force from the sling to the rifle in both the prone and the kneeling position.
- Asymmetrically inserted suede shoulder yokes reduce unpleasant wrinkling in the neck area in the prone position.
- Adjustable shoulder straps enable controlled fold formation for optimum butt plate fit in the shoulder.
- Sensibly fitted stretch inserts give the shooting jacket the required comfort with perfect stabilisation of the shooting position.
- The leather stretch material on the right hand upper arm prevents stresses that can arise in this area from being transmitted to the back area. The shooter can thus stand uncocked in the shooting position.
- Coloured piping on the back gives the back panel a sporty appearance.

Material:
Outer material: 58% cotton, 42% leather
Lining: 100% cotton

Item No.: 167

Also available tailor-made and in a left-handed version!

1

Side darts guarantee better fit at the waist in the standing position.

Stretch insert on the left lower arm prevents the jacket from touching the stock when in the prone position. Additionally stabilises the connection between jacket and glove.

SHOOTING TROUSERS

2

2 SPECIAL-COLOR shooting trousers

To achieve the most important functions of shooting trousers, the trousers have been designed as follows:

- The specially tailored yoke ensures an optimum fit in the spinal area.
- Two long 2-way zip fasteners which can be opened in the various positions from above or below.
- A hook fastener on the waistband and a Velcro fastener on the right hand leg allow individual adjustments of the trousers and can compensate for small variations in the weight of the shooter.
- The stretch material at the end of the Velcro fastener prevents the material from pressing on the thigh and waist areas.
- The stretch material in the crotch and on the thighs enables a wider foot posture in the kneeling position.
- The TOP GRIP padding prevents pressure pain in the kneeling position.

Material:
Outer material: 100% cotton
Lining: 100% cotton

Colours:
black-blue

Item No.: 14116

3

3 Shooting trousers STENVAAG-DESIGN

The Stenvaag trousers have two long 2-way zippers which can be opened from top or bottom in different positions.

- The hook fastener on the waistband and the Velcro fastener on the right hand trouser leg allow individual adjustments e.g. to compensate for small variations in the weight of the shooter.

Material of Model 1:
Outer material: 100% cotton
Lining: 100% cotton

Item No.: 139

Same cut as Model 139. Hip and waist are made of double canvas, the trouserlegs of genuine leather.

Material of Model 2:
Outer material: 20% cotton, 80% leather
Lining: 100% cotton

Item No.: 140



Made in GERMANY

Also available tailor-made and in a left-handed version!

FUSION

ahg Shooting Jackets

When making our shooting sports jackets, we combine our 30 years of experience with the special requirements of our shooters.

- Our clothing is manufactured with particular regard to the ISSF regulations.
- All the jackets in our range are also available made-to-measure (size chart).
- All standard sizes – also available for left-handed shooters, of course!
- All jackets have a canvas lining.

1 Shooting jacket Stenvaag Skorpion FUSION

The Stenvaag Skorpion FUSION shooting jacket is made from a proven leather-canvas material mixture in the front part as well as a dimensionally stable but flexible elastomer on a cotton base in the back part of the jacket. New button arrangement provides better fit in kneeling and prone positions.

A Perfect fit due to leather trim in the shoulder area.

B Stretch material on the lower arm:
- Prevents contact of the holding hand with the rifle stock in the prone position.
- Perfect fit of jacket and glove (no more pinching).

C Perfect cut at the shoulders, hip and back:
- Superb fit.
- Outstanding stability due to dimensionally stable elastomer back parts.
- Designed to fit at the waist due to side darts.

D Soft leather facing.

Individual colour combinations (see measurement and colour sheet). Highest quality materials guarantee optimum hold.

Material:
Outer material: 15% cotton, 34% leather, 50% rubber
Lining: 100% cotton-canvas

Colours:
Elastomer material only available in white or blue.

Item No.: 168

2 Shooting trousers FUSION

The hips and seat of FUSION shooting trousers are made of the new elastomer material, the trouser legs of dimensionally stable, flexible canvas material.

Material:
Outer material: 60% cotton, 40% rubber
Lining: 100% cotton-canvas

Colours:
Elastomer material only available in white or blue.

Item No.: 143

Made in GERMANY

Neues dehnungsfreies Material - New non-elastic material
Elastomer FUSION

Also available tailor-made and in a left-handed version!

1

A

B

2

C

D

X-DRY VENTILATION

3

4

3 X-DRY VENTILATION shooting jacket

- Suede leather on the front left part as well as Top Grip padding on the supporting arm improves the grip when in the standing position.
- X-DRY Ventilation material in the back improves air circulation and avoids heat accumulation inside the jacket. The inner lining on these parts is perforated in order to optimise temperature compensation.
- Soft leather with air holes as well as 2 shoulder straps reduce material bulges when prone shooting and guarantee best possible fit of the butt plate in the shoulder.
- The sling attachment has numerous holes and can thus be adjusted individually in height and sideways.
- Individual fitting of the jacket by means of flat aluminum buttons with screws.
- Stretch material in the left sleeve head provides more flexibility for the supporting arm.
- The inner lining is made from perforated material for better air balance.

Material:
70% canvas, 16% leather, 3% PES, 6% PAD, 5% PVC

Item No.: 176

4 X-DRY VENTILATION shooting trousers

- The Velcro fasteners on the waistband and on the right leg allow individual adjustments e.g. to compensate for small fluctuations in the weight of the shooter.
- The inside of the waistband is made of a cord fabric and prevents the trousers from slipping.
- The trousers have two long 2-way zippers which can be opened from top or bottom in different positions.
- The left front side is made from soft leather to provide comfort without pressure marks when in the kneeling position.
- A leather insert in the stride permits wider foot positioning when in the kneeling position.
- X-DRY Ventilation material on the inside of the upper leg and on the right thigh improves air circulation and prevents heat accumulation in the trousers. The inner lining on these parts is perforated in order to optimise temperature compensation.
- The trouser leg cuffs are made from leather to avoid balance problems when they sit on the boots.
- The TOP GRIP padding prevents pressure pain in the kneeling position.

Material:
82% canvas, 8% leather, 5% PAD, 5% PVC

Item No.: 148

Size information is available at www.ahg-anschuetz.de in the download area!

Also available tailor-made and in a left-handed version!

EVOTOP

1 EVOTOP shooting jacket

The EVOTOP shooting jacket is made from top quality and unique material:

- Double Evotex material in combination with parts of soft perforated leather; air system – adapts optimally to the shooter's body.
- Maximum stiffness, while still conforming to ISSF rules.
- The adjustment of the sling offers numerous variations.
- The sling mount can be adjusted.
- Metal clips in the back of the jacket for fixing the start number.
- Supporting parts of the elbows and shoulders are made of Top Grip.
- Elasticated material around the elbow reduces wrinkles and allows the arm to bend easily in the standing position.
- The right sleeve is made of soft leather at the back.
- This model of shooting jacket is available for both right and left-handed shooters.
- Buttons are made of dural and are very secure thanks to the screw technology.
- Available in many colour combinations.

Material:
60% polyester, 17% leather, 15% cotton, 3% elastane, 5% Top Grip

Item No.: 95100

1

2 EVOTOP shooting trousers

- Combination of finest leather and EVOTEX Material.
- The Velcro fasteners on the waistband and on the right trouser leg allow individual adjustments, e.g. to compensate for small fluctuations in the weight of the shooter.
- The inside of the waistband is made of a cord fabric and prevents the trousers from slipping.
- The trousers have two long 2-way zippers which can be opened from top or bottom in different positions.
- The left front side is made from soft leather to provide comfort without pressure marks when in the kneeling position.
- A leather insert in the crotch permits wider foot positioning when in the kneeling position.
- The trousers leg cuffs are made from leather to avoid balance problems when they sit on the boots.
- The TOP GRIP padding prevents pressure pain in the kneeling position.

Material:
75% polyester, 12% leather, 8% canvas, 5% Top Grip

Item No.: 95101

2

Video info for tailor-made:
www.youtube.com/ahgAnschuetz

EVOMIX
shooting jacket

Material: 40% polyester, 15% leather, 35% cotton, 5% elastane, 5% rubber

Item No.: 95120

Also available tailor-made and in a left-handed version!

3

3 Shooting jacket ECONOMY

A high quality double canvas shooting jacket at an affordable price!

- The left side has a suede upper piece for even better adhesion to the non-slip rubber facing on the sleeve in the standing position.
- Two shoulder straps on the back remove the material bulge when shooting in the prone position.
- Outstanding fit and stability due to the tailored cut, particularly at the shoulders, hips and spine.
- Individual fitting of the jacket due to aluminum buttons with screw.
- New target sling fixing.

Material:
Outer material: 85% cotton, 15% leather
Lining: 100% cotton

Sizes:
Available in standard sizes:
44 – 60 (men), 36 – 48 (women).

Item No.: 174

4 Shooting trousers ECONOMY

The new Economy shooting trousers in double canvas have a Velcro fastener on the waist and on the left leg and can thus be adjusted to suit variations in body size. Trousers with the right price/performance ratio!

Material:
Outer material: 100% canvas
Inner lining: 100% canvas
Padding: rubber

Item No.: 147

4

Also available tailor-made and in a left-handed version!

5 BUTTON with screw

1 pcs.
Material: Plastic

Item No.: 199

6 Aluminum BUTTONS

- Set of 5 buttons.
- Extra flat.

Material: Aluminum

Item No.: 189



STANDARD

1 Shooting jacket STANDARD

A cost-effective double canvas jacket with all the important features.

- Stretch insert in the armpit.
- Target sling attachment.
- Shoulder straps.
- Non-slip rubber padding.

Available in all standard sizes and intermediate sizes. Made-to-measure not available.

Material:
Outer material: 100% cotton
Lining: 100% cotton

Item No.: 160

Also available for left-handed shooters!

2 Shooting trousers STANDARD

Inexpensive trousers made from double canvas, suitable for all three shooting positions and offering comfortable support to the shooter's spine.

Available in the following sizes:

- Men 40 – 64
- Intermediate sizes 25 – 34, 92 – 112
- Women 36 – 50
- Teenager sizes 158, 164, 176

Made-to-measure not available.

Material:
Outer material: 95% cotton, 5% Amara
Lining: 100% cotton

Item No.: 144

Also available for left-handed shooters!

3 Shooting jacket bag

To keep and carry your shooting jacket and/or trousers and thus protect them from dirt and damage. The jacket does not have to be folded but can, because of the size of the bag (width 65 cm x height 110 cm x thickness 6 cm), be put into this bag on a hanger to avoid creases and folds.

The bag is made of black fleece and has

- a zip fastener in the centre at the front
- a hanger opening at the top
- a side fold 6 cm deep
- a 9 x 11 cm rectangular window to the right of the zip fastener
- a pocket on the rear for shooting caps and other accessories

Item No.: 159

4 Braces for buttoning

Colour: black

Item No.: 145-3

1

2

3

4

5

5 Shooting jacket STANDARD PLUS

The well-proven model is now also available in a suede-canvas combination.

- The left side is made completely of Amara for better adhesion to the non-slip rubber facing on the sleeve in the standing position.
- Holder for attaching the target sling on the left hand sleeve for optimum individual adjustment of the target sling.
- Two shoulder straps on the back remove the material bulge when shooting in the prone position.

Available in the following sizes:
- Men 40 – 64
- Intermediate sizes 25 – 34, 92 – 112
- Women 36 – 50
- Teenager sizes 158, 164, 176

Made-to-measure not available.

Material:
Outer material: 47% cotton, 53% Amara
Lining: 100% cotton

Item No.: 165

Also available for left-handed shooters!

6

6 Junior shooting jacket STANDARD PLUS JUNIOR

Junior shooting jacket made of single canvas with a ventilated nylon inner lining.

- The left side is made completely of Amara for better adhesion to the non-slip rubber facing on the sleeve in the standing position.
- Holder for attaching the target sling on the left hand sleeve for optimum individual adjustment of the sling.
- Shoulder straps on the back remove the material bulge when shooting in the prone position.

Available in the following sizes:
Youth sizes 152, 158, 164, 176.

Made-to-measure not available.

Material:
Outer material: 60% cotton, 40% Amara
Lining: 100% nylon mesh

Item No.: 162

SHOOTING JACKET BENCHREST

1 Shooting jacket BENCHREST

- Double canvas in the back supports and stabilises the position.
- TOP GRIP padding prevents the rifle from slipping when in position.
- Buttons with screws permit individual adjustment of the jacket.
- Special button facing made from leather for easy and comfortable buttoning of the jacket.

Material:
Outer material: 100% cotton
Lining: 100% cotton

Item No.: 187

Available in the following colours:



2 Shooting jacket BENCHREST

As for BENCH REST shooting jacket (Item No.: 187) but in black simulated leather.

Material:
Outer material: simulated leather / polyurethane
Lining: 100% cotton

Item No.: 188

Also available tailor-made and in a left-handed version!

Made in GERMANY

1

2

SHOOTING JACKET BENCHREST

3 Shooting jacket BENCHREST CLUB

- Front made of Amara-canvas material mix, back of jacket made of firm but flexible elastomer material on a cotton substrate.
- Amara material on the shoulders for a better fit.
- Short cap sleeve improves positioning of the butt plate.
- Elastomer material on the back for optimum hold.
- Shoulder straps for optimum adjustment of the jacket.
- Buttons with screws permit individual adjustment of the jacket.
- Button holes trimmed with piping facilitate buttoning and unbuttoning of the jacket.

Available in the following sizes:
- Men 40 – 64
- Intermediate sizes 25 – 34, 92 – 112
- Women 36 – 50

Material:
Outer material: 50% polyurethane, 22% canvas, 27% Amara
Lining: 100% cotton

Item No.: 186

4 BUTTON HOOK

Completely new on the market.
- Convenient, easy closing of shooting jackets.
- Fits in any pocket.
- Top design.

Item No.: 1202

5 BELT for shooting trousers

- Belt made of non-warping plastic material.
- Length individually adjustable.

Overall length: 115 cm

Material: synthetic

Colour: black

Item No.: 151

6 TOP GRIP MAT

The TOP GRIP mat provides outstanding security in the kneeling and prone positions.
- Dimensions: 950 x 900 mm
- Thickness: 2 mm

Material: Plastic

Item No.: 191

TOP GRIP PADDING for shooting trousers

For sewing on. 1 set.
Colour: black

Item No.: 140-T

TOP GRIP PADDING for shooting jackets

For sewing on. 1 set.
Colour: black

Item No.: 180-T

7 HOOKS

For attaching target slings.

Item No.: 336

SHOOTING UNDERWEAR

1 Underwear COLD WINNER™

- Versatile, patented high-tech fabric.
- Combination of three different materials.
- Whether in the cold at –27° C or heat at +30° C, your temperature remains constant.
- Excess sweat absorbed by skin contact is passed immediately to the outside, where it evaporates into the air. The body remains warm and dry.

Tests carried out in Canada and Europe under both extreme and everyday conditions (at temperatures between +25° C and –22° C) have confirmed the advantages of this high-tech underwear.

The COLDWINNER™ underwear must be worn close to the body, directly against the skin, to achieve the maximum benefit. It can be worn all year round according to climatic conditions and temperature variations.

Thanks to its high-tech structure, COLD WINNER™ is the heat-regulating underwear suitable for all conditions.

Material:
48.15% polyester, 48.15% Thermolite, 3.7% Lycra

Sizes:
XXS, XS, S, M, L, XL, XXL

Item No.: 154 (Undershirt, long sleeves)

Item No.: 155 (Underpants, long)

2 SHOOTING UNDERWEAR

Functional and thermal underwear made from Tactel aquator. The ideal underclothing for sport and leisure.

- Unique fabric combination with effective moisture management.
- Maximum wearing comfort.
- Unique, two-layer material system.
- The inner Tactel layer conducts body moisture away from the skin into the outer cotton layer, where it evaporates.
- With high collar and zip fastener.
- Moisture-regulating.
- Temperature-regulating.
- Breathable.
- Kind to the skin.
- Dimensionally stable and elastic.
- Easy care.

Material:
65% cotton, 35% polyamide

Sizes:
XXS, XS, S, M, L, XL, XXL

Item No.: 152 (Undershirt, long sleeves)

Item No.: 153 (Underpants, long)

3 Shooting vest COLD WINNER™

Same features as the Cold Winner long-sleeved undershirt, Item 154, except:

- A second layer of material has been incorporated into the upper body area of the vest (2.2 mm instead of 1.1 mm). The volume of the vest increases as a result of the extra material, making it more comfortable to wear.
- 2-way zip fastener for the kneeling position.
- Heat-regulating underwear.

Material:
48.15% polyester, 48.15% Thermolite, 3.7% Lycra

Sizes:
XXS, XS, S, M, L, XL, XXL

Item No.: 156

Made in GERMANY

1

COLD WINNER™
patent pending

CONTEST LUMIERE' INVENTOR EXHIBITION
SILVER MEDAL
LYON FEBRUARY 2002

Best effect when worn directly on the skin!

2

Stenraa DESIGN

3

SHOOTING VESTS

SHOOTING VESTS in up-to-date colours

It is not only the shooting jacket which is important when shooting, but also the underwear.
Ahg shooting vests offer the following benefits, which you will feel as soon as you put them on.

- Crease-free fit in the shoulder and elbow areas.
- No distracting seams in the shoulder area.
- Padded elbows especially for shooting in the prone position.
- 2-way zip fastener can be opened from the bottom when in the kneeling position.
- Air holes in the back for temperature compensation.

Material:
50% cotton, 50% polyacrylics

Sizes:
XXS, XS, S, M, L, XL, XXL

4 SHOOTING VEST

Colours: blue / black
Item No.: 194

5 SHOOTING VEST

Colours: silver grey / black
Item No.: 193

6 POLO-SHIRT

- Black / grey with blue ahg logo.
- Made from mesh material.

Material: 100% polyester
Sizes: XS – XL
Item No.: 3200

7 BIKE-SHIRT

- Blue with zip fastener.
- 3 open pockets at the back.

Material: 100% polyester
Sizes: XS – XL
Item No.: 3201

FUSE functional underwear

ALL SEASON Megalight 200

The FUSE First Layer System in 3-D knitting technology surrounds the body without restricting it.
It perfects the function of the skin in the same way as a modern air conditioner.
Put simply: FUSE cools in summer and warms in winter.

The well-thought-out moisture management system allows the body temperature to be kept in the optimum range for achieving the greatest possible efficiency, even under the utmost stress. The body does not have to compensate for any temperature fluctuations: little energy is wasted. The FUSE seamless construction largely avoids troublesome seams. The products are knitted endlessly; only sleeves e.g. are sewn on with flat seams, which are virtually undetectable.
The elasticity of the underwear is preserved; the fit is prefect and wearing it feels extremely comfortable – just like a second skin.
The underwear must be worn directly next to the skin (first layer) in order to fullfill its intended function of absorbing moisture from the skin, buffering it within the 3-D-construction and finally releasing it to the outside. The shooting-jacket can be worn directly over the FUSE underwear. Shooters who prefer more volume can additionally use a knitted vest without exceeding the limits of the sporting regulations.
The FUSE KEEPS FRESH technology has an antibacterial and odour-free action due to high quality metal salts, and thus prevents unpleasant odours.
Greatest possible comfort with breathability due to incorporated air channels.

Material:
85 % polyamide, 15 % polyester.
Material weight: 200 g/m²

1 FUSE UNDERSHIRT

Item No.: 157 (undershirt, men, M – XXL)
Item No.: 157D (undershirt, women, S – XL)

2 FUSE UNDERPANTS

Item No.: 158 (underpants, men, M – XXL)
Item No.: 158D (underpants, women, S – XL)

3 FUSE COMPRESSION SOCKS

Whether for training, competitions or leisure time, FUSE compression socks support the transport of venous blood to the heart by means of gradual compression. This activates blood circulation and the athlete does not fatigue so quickly. A further advantage of FUSE compression socks is the reduction of muscle vibrations, which delays muscle fatigue and the onset of muscle soreness, and shortens the recovery phase. The Achilles tendon area has been reinforced and thus protects irritated tendons.
The FUSE KEEPS FRESH technology has an antibacterial and odour-free action due to high quality metal salts, and thus prevents unpleasant odours.

Material:
60 % polyamide nylon, 30 % polyamide Microlon, 8 % polyamide Nanoglide, 2 % elastane

Item No.: 133/S (36 – 38)
Item No.: 133/M (39 – 42)
Item No.: 133/L (43 – 46)
Item No.: 133/XL (47 – 49)

1

2

3

Andi Birnbacher

1

1 Shooting boots
STENVAAG STRONG

Ⓐ Comfortable, tight-fitting lacing prevents pressure pain in the kneeling position and adjusts immediately to any shape of foot.

Ⓑ Thermoplastic material is now completely integrated into the heel, outer and inner foot areas to provide improved side stability.

Ⓒ Newly revised inner shoe for improved standing comfort.

① Well padded tongues made of perforated climatic lining prevent pressure pain and guarantee outstanding air circulation.

② Perforations in the exterior upper plus porous padding foam allow air circulation to the base.

③ The butt plate of soft, elastic rubber has an extremely strong grip and improves the hold when in the kneeling position.

④ Velcro fastener for fine adjustment of the boot.

⑤ A new fixing system provides pressure-free fixing of the foot without constricting the circulation; the feet do not "go to sleep". This system is combined into an integral unit with the boot-leg lacing. The secondary clamping hooks permit two-zone lacing.
The secondary low holding hooks, combined with the Digafix system, also inprove the fit at the heel.
This lacing system permits any fastening variant.

⑥ The heel cap is made of extremely stiff thermoplastic material.

⑦ Grip Control optimises the hold when in the kneeling position.

Material:
Upper material: leather
Sole: rubber

Sizes:
35 – 49 (2½ – 13)

Item No.: 135

Stenvaag DESIGN

SHOOTING BOOTS

1 Shooting boots - COMPETITION

Designed by shooters, for shooters.

- The entire tongue is a combination of 3-D mesh material which provides better air circulation in the boot (no build-up of heat) and reticulated foam padding, which improves the wearing comfort. This combination makes all the difference.
- The Velcro integrated into the tongue allows it to be individually adjusted to the instep and fixed in position.
- The tongue, which extends well forward, is designed so the base can be individually and very snugly fixed over the entire length. Individual adjustment is thus easy to achieve.
- The special last shape is designed so that the front of the sole, and not the front of the boot, is in contact with the ground when shooting in the kneeling position. A stable position can be achieved in this way.
- The rear edge of the sole is slanted slightly to improve the seating in the kneeling position.
- Velcro fastener facilitates fine adjustment of the boot.
- The two reinforcing ribs on the side strengthen the lateral hold and the stability of the foot in the boot.
- Decorative stitching on the outside gives the boot a sporty appearance.
- Due to its construction, the Ergofit inner sole has very good stabilising properties.

Material:
Upper material: leather
Sole: rubber

Sizes:
35 – 51 (3 – 14½)

Item No.: 137

1

2 Sports shoes - ALLROUND

This newly designed shoe with a sporty look is, as the name Allround suggests, a shoe that can be used for various disciplines such as running target, trap, skeet, pistol and also rifle shooting.

- Well padded tongues distribute all kinds of pressure and prevent pressure pains.
- Sturdy shoe.
- Comfortable lacing.
- Beautiful finish inside and outside gives the shoes a sporty look.
- The orthopaedic insole prevents rapid tiring of the foot during competitions.

Material:
Upper material: leather
Sole: rubber

Sizes:
From 36 – 48 (3 – 12)

Item No.: 134

2

3

3 Shooting boots - EASY

- The budget-priced shooting boot with customary Meindl quality.
- Orthopaedic insole.
- Optimum workmanship for stability.
- Stable, straight sole for safe shooting position.

Material:
Upper material: leather
Sole: rubber

Sizes:
37 – 47 (3½ to 12)

Item No.: 132

4



4 SHOE TREE

The shoe tree for shooting boots will prolong the life of your boots and ensures constant flat soles for many years.

For all common shooting boot sizes from 36 – 50.

Item No.: 136

5

5 Meindl Special Climate Socks

Anatomically knitted with Coolmax for cool, dry and comfortable wear.

Colour: black

Material:
68 % Cool Max, 26% cotton, 4% polyamide, 2% Elastan

Sizes:
S = 36 – 39, M = 40 – 43, L = 44 – 47

Item No.: 133-1

6

6 LACES

- For shooting boots, 1 set
- Length: 180 cm

Item No.: 133-2

7



7 PRONE MAT

The ahg prone mat consists of 4 padded segments which can be easily folded up and fastened with Velcro fasteners.

- Carrying straps facilitate safe transport.
- An extra rubber layer in the elbow area prevents sliding when in the shooting position.
- Detachable elbow mat.

Dimensions: 200 x 80 cm, Weight: 2 kg

Item No.: 385

SHOOTING GLOVES

1 THERMO-STAR

5-finger glove. The latest generation of shooting gloves from ahg-Anschütz offers you the following advantages which will pay off noticeably during competition.

- With net material at the back of the hand and on the palm and with air ventilation holes at the fingers, an optimum temperature circulation is achieved to avoid excessive heat in the glove.
- Due to the use of latest high-tech materials, the back of the hand is reinforced, additionally giving support to the wrist.
- Damping material extends from the back of the hand to the palm, so that the pressure of the handstop is optimally distributed over the hand when shooting in the prone position.
- TOP GRIP padding prevents the firearm from slipping.

Material:
Upper material: 6% leather, 60% rubber, 6% rubber tape, 20% polyurethane, 8% polyamide
Inner lining: 34% wool, 33% viscose, 33% polyacryl
Padding: Top Grip

Sizes: XS, S, M, L, XL
(For right-handed shooters only)

Item No.: 127

2 TOP GRIP COLOR

A top quality 5-finger glove in fine, high strength , supple leather, with stretch band.

- Optimised comfortable cut with maximum padding conforming to ISSF & DSB rules.
- Coating consists of strongly adhering TOP GRIP material.
- Good temperature equalisation due to the lattice weave at the side on the back of the hand.

Material:
Upper material: 100% leather
Inner lining: 34% wool, 33% viscose, 33% polyacryl
Padding: Top Grip

Sizes: XXS, XS, S, M, L, XL

For right-handed shooters: **Item No.: 101C**
For left-handed shooters: **Item No.: 101C-L**

3 AIR MAX

5-finger glove. The top model for top shooters.

- Cut along the knuckles for easy bending of the fingers.
- Mesh material on back and palm for better temperature regulation.
- Stretch band at the wrist.
- TOP GRIP padding.
- Colour combination: black/red/silver.

Material:
Upper material: 70% polyamide (mesh),
20% synthetic leather (PVC; PES), 10% leather
Inner lining: 34% wool, 33% viscose, 33% polyacryl
Padding: Top Grip

Sizes: XS, S, M, L, XL
For right-handed shooters only.

Item No.: 107

ahg shooting gloves in different colours and materials. As individual as your personality. The right model for every taste. But all models have one thing in common: Quality.

- Optimum fit.
- Comfortable cut.
- Non-slip padding, GRIP or TOP GRIP.
- Manufactured according to DSB and ISSF rules.

4

Made in GERMANY

4 SHORT BLACK

Open 5-finger glove.

- Cut along the knuckles for easy bending of the fingers.
- Firm leather material improves support.
- Open fingers allow better temperature regulation and facilitate loading the rifle with the left hand (thumb and index finger).

Material:
Upper material: 60% leather, 40% synthetic leather
Inner lining: 34% wool, 33% viscose, 33% polyacryl
Padding: natural rubber

Sizes: XS, S, M, L, XL

For right-handed shooters: **Item No.: 115**
For left-handed shooters: **Item No.: 115-L**

5

Made in GERMANY

5 COMFORT SHORT

Open 5-finger glove in a combination of leather and VELON high tech breathable fabric. The use of this new VELON fabric gives the glove the following advantages:

- The glove remains soft and pliable, even when cold, and is comfortable to wear.
- Water-repellent and moisture-permeable.
- Top Grip padding prevents the rifle from slipping.
- Short stock and index finger permit problem-free loading of the rifle.

Material:
Upper material: 80% Velon-cotton/PES fused with PUR, 20% leather.
Inner lining: 34% wool, 33% viscose, 33% polyacryl
Padding: Top Grip

Sizes: XS, S, M, L, XL

For right-handed shooters: **Item No.: 116**
For left-handed shooters: **Item No.: 116-L**

6

Made in GERMANY

6 SHORT

Open 5-finger glove.

- Cut along the knuckles for easy bending of the fingers.
- Sturdy leather material, as well as the overall non-slip coating on the back of the hand improve the support in the shooting position.
- Open fingers allow better temperature regulation and facilitate loading the rifle with the left hand (thumb and index finger).

Material:
Upper material: 60% leather, 40% synthetic leather
Inner lining: 34% wool, 33% viscose, 33% polyacryl
Padding: natural rubber

Sizes: XS, S, M, L, XL
For right-handed shooters only.

Item No.: 123

7

7 STYLE

5-finger glove.

- Cut along the knuckles for easy bending of the fingers.
- Good temperature equalisation due to the lattice weave at the side of the wrist.
- Stretch band at the wrist.
- GRIP padding in grey/white.

Colour: carbon.

Material:
Upper material: 60% leather, 40% synthetic leather
Inner lining: 34% wool, 33% viscose, 33% polyacryl
Padding: natural rubber

Sizes: XS, S, M, L, XL
For right-handed shooters only.

Item No.: 125

SHOOTING GLOVES

1 CONTACT

This specially developed shooting glove offers the supporting hand more direct contact with the rifle, much freedom of movement and maximum padding. Thumb and forefinger are open to allow comfortable loading of the gun. The processed special leather with breathable fleece material facilitates heat transfer and reduces perspiration from the hand.
The newly developed hard-wearing non-slip padding on the inside and outside surfaces of the glove adapt to the hand and hold the rifle in the shooting position without slipping. If required, the glove can be washed at 30 °C.

Material:
46% leather, 50% Polaire polyester, 4% rubber
Padding: 60% polyamide, 40% polyurethane

Sizes: XS, S, M, L, XL, XXL
For right-handed shooters only.

Item No.: 118

2 TRIGGER

A newly designed glove for the trigger hand. A membrane inserted in the processed double fleece material maintains your trigger hand at a pleasant, constant temperature.

The end of the trigger finger is open to provide direct contact with the trigger.
The special leather used on the palm of the glove moulds itself to the pistol grip of the gun and thus ensures non-slip contact (grip).

If required, the glove can be washed at 30 °C.

Material:
46% leather, 50% Polaire polyester and 4% rubber

Sizes: XS, S, M, L, XL, XXL
For right-handed shooters only.

Item No.: 119

3 BENCH REST

A specially developed bench rest glove for the non-trigger hand.
The advantages of this bench rest glove are

- when the hand rests on the barrel unit, direct contact with sweat from the hand is prevented.
- the use of thin and very slip-resistant structural leather provides optimum grip and contact with the rifle.
- even on cold days the rifle can be held comfortably from above or below.

If required, the glove can be washed at 30 °C.

Material:
46% leather, 50% Polaire polyester, 4% rubber

Sizes: XS, S, M, L, XL, XXL
For right-handed shooters only.

Item No.: 120

4 TRIGGER SHORT

The trigger glove increases the grip between stock and hand. An even temperature balance is achieved by the use of mesh material and wind stopper fleece on the back of the hand.
The palm of the glove is made from soft and cuddly Alcantex material with silicone burling to increase the grip and still preserve the feeling on the stock.

Material:
50% polyester, 25% polyamide, 25% polyurethane

Sizes: XS, S, M, L, XL

Item No.: 121

Matt Emmons

5

5 TOP STAR

Open 5-finger glove with
- White non-slip coating.
- Stretch band at the wrist.

Material:
Upper material: 98% Amara 2% leather
Inner lining: 34% wool, 33% viscose and 33% polyacrylic.
Padding: natural rubber.

Sizes: XS, S, M, L, XL

Item No.: 108

6

6 COLOR 1

5-finger glove with
- TOP GRIP padding.
- Stretch band at the wrist.
- Colour combination: grey/yellow/black.

Material:
Upper material: 100% Amara
Inner lining: 34% wool, 33% viscose, 33% polyacryl
Padding: Top Grip

Sizes: XS, S, M, L, XL

For right-handed shooters only.

Item No.: 109

7

7 COLOR 2

5-finger glove with
- TOP GRIP padding.
- Stretch band at the wrist.
- Colour combination: red-blue.

Material:
Upper material: 100% Amara
Inner lining: 34% wool, 33% viscose, 33% polyacryl
Padding: Top Grip

Sizes: XS, S, M, L, XL

For right-handed shooters: **Item No.: 110**
For left-handed shooters: **Item No.: 110-L**

8

HOT PRICE ahg

8 SUPER GRIP

Budget-price 5-finger glove.
- Stretch band at the wrist permits easy hand insertion.
- Breathable mesh material ensures good temperature regulation.
- White non-slip coating.

Material:
Upper material: 100% Amara
Inner lining: 34% wool, 33% viscose, 33% polyacryl
Padding: Top Grip

Sizes: XS, S, M, L, XL

For right-handed shooters: **Item No.: 111**
For left-handed shooters: **Item No.: 111-L**

9

HOT PRICE ahg

9 STANDARD SHORT

Open 5-finger glove with
- White non-slip coating.
- Stretch band at the wrist.
- The budget-priced alternative to the Short model.

Material:
Upper material: 100% Amara
Inner lining: 34% wool, 33% viscose, 33% polyacryl
Padding: natural rubber

For right-handed shooters: **Item No.: 113**
For left-handed shooters: **Item No.: 113-L**

SHOOTING CAPS

1 SHOOTING CAP

- The long peak on the ahg shooting cap prevents distracting light from above from having an adverse effect on the aiming process.
- A Velcro fastener permits easy adjustment to any head size.
- The side sections made of netting material increase the air flow and thus provide temperature regulation.
- The cap can be made to conform to DSB and ISSF regulations simply by folding up the side flaps.
- When you are shooting according to DSB or ISSF regulations, you must cut the side flap at the seam to suit.
- If you are shooting according to the rules of another association which does not regulate the use of side flaps, they can also remain folded down.

Material:
60% cotton, 40% polyester

Blue-black
Item No.: 325 Colour

2 NEOPRENE CAP DE LUXE

The sun visor on the ahg Neoprene Cap "de Luxe" can be adjusted individually to any desired position by means of a new, patented pivot fixing system.

With this new fixing system, we guarantee that the shooter will be able to set an optimum position for his sun visor for the particular changes in lighting conditions when aiming.

The inside of the ahg-neoprene cap is covered with a towelling material which absorbs sweat and is comfortable to wear.

Material:
Outside: 100% polyurethane
Lining: 100% cotton

Size: L (peak length 10 cm)
Item No.: 302

Size: S (peak length 9 cm)
Item No.: 302-S

3 NEOPRENE CAP

- Protection from scattered light.
- Flexible and light – guaranteed pleasant to wear.
- Conforms to ISSF and DSB rules.

Material: 100% polyurethane

Item No.: 301

4 SHOOTING CAP DEFLEKTOR

The new shooting cap from ahg-Anschütz has a head band which can be adjusted to any head size, a sweat-absorbing towelling band and a plug-in eye shield.

Material: 100% cotton

Item No.: 300

4 HEAD BAND WITH PIVOTING EYE SHIELD

- Conforms to ISSF and DSB rules.
- Can be flipped up.
- Can be pivoted to any side by means of the ball joint.

Material: 92% polyester, 8% rubber

Black, red and yellow on white
Item No.: 321

Black, red and blue on white
Item No.: 315

5 HEAD BAND WITH EYE SHIELD

- With non-reflective and scratch resistant eye shield made of Lexan.
- Conforms to DSB and ISSF rules.

Material: 92% polyester and 8% rubber

Item No.: 316

As for Item 316 but in:
Black, red and yellow on white.
Item No.: 324

6 HEAD BAND

Material: 92% polyester, 8% rubber

Item No.: 323

7 PIVOTING EYE SHIELD

- With clip for fixing to shooting cap or head band.
- Can be flipped up.
- Can be pivoted to any side by means of the ball joint.
- Conforms to ISSF and DSB rules.

Item No.: 329

8 HEAD BAND with adjustable eye shield

There is a plastic swivel mount fitted to this ahg head band. A knurled screw enables the shooter to adjust the translucent cover for the non-aiming eye perfectly in height, direction and angle to his requirements easily and without tools.

Item No.: 310

9 BASEBALL CAP

- ANSCHÜTZ Design.
- Black / grey / blue with ahg logo.

Material: 100% cotton

Item No.: 3210

10 ANSCHÜTZ BIATHLON CAP

Elastic cap especially made for cross-country skiing, biathlon and Nordic walking.

Material: 82% polyester, 18% elastomer

Item No.: 3209 (Size L)

Item No.: 3209-M (Size M)

11 KNITTED CAP

Close fitting fine-knit cap with ribbing.
An inner headband made of fleece provides maximum wearing comfort.

Material: 70% polyacrylic, 30% wool

Item No.: 3208

TARGET SLINGS also available for left-handed shooters

1 Target sling CLIP

The ahg CLIP target sling has a new fine adjustment which allows quick and problem-free adjustment to any desired length when in the shooting position.

Item No.: 337



2 Target sling CONTACT

- Non-warping synthetic fabric.
- Simple adjustment of arm loop and arm length by means of buckles.
- This target sling can even be adjusted to very short arm lengths due to the long rows of holes, so there is no pressure from the buckle on the glove when in the shooting position.

Item No.: 334 (for right-handed shooters)
Item No.: 334-L (for left-handed shooters)
Item No.: 334-short (4 cm shorter)

3 Target sling SWING

The ahg SWING target sling is the latest development from ahg-Anschütz. In this case it is a target sling with combined fine adjustment.

This sling offers the following benefits:

- Easy adjustment of the length with one hand when in the prone or kneeling position, without having to leave the position.
- Automatic axial adjustment of the front part of the sling to guarantee a permanent optimum application of force in the shooting position.
- The sling fixing and the target sling are connected by a special tarpaulin type fastener, making it possible to couple and uncouple the sling quickly and conveniently with one hand.
- The arm loop with a 4-way adjustable receptacle for the tarpaulin fastener guarantees an optimum sling position.
- In addition the arm loop can be individually adjusted to the upper arm by a buckle.
- Special, non-stretch sling material with textile inlay guarantees optimum stability.

Item No.: 341 (for right-handed shooters)
Item No.: 341-L (for left-handed shooters)

4 Target sling PROFESSIONAL

Offers additional advantages such as the well-known benefits of the ahg target slings with the swivel clip.

- Variable adjustment of the arm loop with the swivelling metal clip.
- For right or left-handed shooters.
- Small hole spacing for fine adjustment.

Material: leather (no picture)
Item No.: 330 (for right-handed shooters)
Item No.: 330-L (for left-handed shooters)

Material: synthetic, black
Item No.: 331 (for right-handed shooters)
Item No.: 331-L (for left-handed shooters)

5 Target sling CONSTANT

Material: leather
Item No.: 333 (for right-handed shooters)
Item No.: 333-L (for left-handed shooters)

Material: synthetic, black
Item No.: 335 (for right-handed shooters)
Item No.: 335-L (for left-handed shooters)

TARGET SLINGS / KNEELING ROLLS



6

7

8

9

10

11

12

6 TARGET SLING Contact PLUS

- Non-warping synthetic fabric.
- Simple adjustment of arm loop and arm length by means of buckles.
- This target sling can even be adjusted to very short arm lengths due to the long rows of holes, so there is no pressure from the buckle on the glove when in the shooting position.
- A fine adjustment screw permits readjustment in the shooting position.

Item No.: 338

7 Retrofittable sling attachment

The sling attachment can be retrofitted to all shooting jackets and target slings. The sling attachment and the target sling are connected by a special tarpaulin type fastener, making it possible to couple and uncouple the sling quickly and conveniently with one hand.

Item No.: 339

Kneeling Rolls

- Fine granulated cork filling for comfortable, firm support of the ankle.
- No pressure points, due to the zip fasteners being fitted on the end faces.
- Robust, user-friendly carrying straps.
- High quality workmanship.

8 Kneeling roll SUEDE

Item No.: 380 (no filling)
Item No.: 381 (with filling)

9 Kneeling roll COLOR in canvas

Item No.: 360 Colour (no filling black/blue)
Item No.: 360 (no filling blue/red, no picture)
Item No.: 361 Colour (with black/blue filling)
Item No.: 361 (with blue/red filling, no picture)

10 Kneeling roll NON-SLIP COATING

Item No.: 350 (no filling, brown)
Item No.: 351 (with filling, brown)
Item No.: 370 (no filling, blue/black)
Item No.: 371 (with filling blue/black)

11 Kneeling roll TOP GRIP

Item No.: 372 (no filling)
Item No.: 373 (with filling)

12 GRANULATED CORK filling

For one kneeling roll.

Item No.: 364

RIFLE CASES

Rifle cases DELUX SERIES

- Extra sturdy, injection moulded design in specially developed high impact resistant, hard wearing case material.
- All-round aluminium frame with 4 strong snap fasteners, two of which are lockable.
- The upper and lower halves are joined by a continuous, hard wearing hinge.
- Two sturdy carrying handles.
- Support feet protect the continuous hinge and allow the case to stand upright.
- Rounded faces prevent damage.
- Interlocking profiled foam inserts give the contents complete protection.
- The cases conform to the safety requirements of the FAA for the transport of firearms as baggage in aircraft.

1 **Item No.: 233** For break-barrel guns
Dimensions: 96.5 x 32 x 11.5 cm
Weight: 3.50 kg

2 **Item No.: 201** For one rifle
Dimensions: 122.5 x 25.5 x 11.5 cm
Weight: 3.25 kg

3 **Item No.: 202** For two rifles
Dimensions: 133.5 x 32 x 11.5 cm
Weight: 4.60 kg

4 **Item No.: 203** For two rifles, extra wide
Dimensions: 133.5 x 37 x 11.5 cm
Weight: 4.90 kg

All specified case dimensions are exterior dimensions.

1

2

3

4

PLANO

5

5 Rifle case XLT SERIES

- For 2 guns, extra wide.
- Increased ruggedness due to new design.
- Maximum security.
- 4 catches, 2 of which are lockable.
- Particularly suitable for air guns.

Dimensions: 121 x 39 x 13 cm

Weight: 4.7 kg

Item No.: 253

6 Shotgun case

Plano has fitted out its rifle cases with a new patented PillarLock™ system. The system consists of sturdy plastic blocks which interlock when the case is closed and prevent impacts on the wall of the rifle from being transmitted to the gun.

- Patented PillarLock™ safety system fitted in the middle of the case protects the shotgun all round
- Very sturdy, pressure resistant wall construction
- Comfortable, integral handles
- Lockable.
- Approved for air transport.

Dimensions: 91.5 x 27 x 10 cm

Weight: 1.8 kg

Item No.: 263

6

7 2-compartment rifle case

Plano has fitted out its rifle cases with a new patented PillarLock™ system. The system consists of sturdy plastic blocks which interlock when the case is closed and prevent impacts on the wall of the rifle from being transmitted to the gun.

- For transporting 2 rifles including telescopic sight in 2 separate compartments
- Patented PillarLock™ safety system protects the guns all round
- 4 PillarLock™ systems in each compartment
- Very sturdy, pressure resistant external and partition wall construction
- Comfortable, practical handle.
- Very sturdy snap fasteners.
- Lockable using integral holes for padlocks.
- Approved for air transport.

Dimensions: 135 x 31 x 16 cm

Weight: 4.0 kg

Item No.: 262

7

RIFLE CASES

1 Pistol case SE SERIES

- Light, easy to handle design.
- Optimum protection for your firearms as a result of two soft, thick foam inserts.
- Outer shell injection moulded in highly impact resistant polypropylene.
- Strong, low-wear polypropylene hinges.
- Integrated handle.
- Four sturdy support feet.
- Protective trim on both sides.
- Padlocks can be attached using the integral holes.
- Slide fasteners guarantee secure locking.

Item No.: 249 Dimensions: 42 x 37 x 15 cm
Weight: 1.4 kg

Item No.: 248 34.5 x 26 x 7.5 cm
Weight: 0.5 kg

1

2 Rifle case SE SERIES for 2 rifles

The light and attractively priced rifle case provides space for 2 rifles. It has press-stud fasteners which lock the case securely. Padlocks can be attached using the integral holes.

Dimensions: 132.5 x 40.5 x 10 cm

Weight: 3.9 kg

Item No.: 255

2

3 Rifle case SE SERIES for 1 rifle

The design of this light and low-priced case has been developed so that you can accomodate an air rifle and rear sight. It has 4 press-stud fasteners which lock the case securely. Padlocks can be attached using the integral holes.

Dimensions: 133.5 x 29 x 8 cm

Weight: 1.8 kg

Item No.: 250

3

4 Hard shell case SE SERIES

- Light, easy to handle design.
- Optimum protection for your firearms as a result of two soft, thick foam inserts.
- Outer shell injection moulded in highly impact resistant polypropylene.
- Strong, low-wear polypropylene hinges.
- Integrated handle.
- Four sturdy support feet.
- Protective trim on both sides.
- Padlocks can be attached using the integral holes.
- Slide fasteners guarantee secure locking.

Dimensions: 122 x 28 x 8.5 cm

Weight: 2.3 kg

Item No.: 256

4

All specified case dimensions are external dimensions.

PLANO

5

5 Transport case ALL WEATHER SERIES

This case, specially manufactured for transporting firearms by air, offers the combination of design with the highest degree of functionality. Extremely sturdy and also water and air tight, it is the ideal companion for all jet-set shooters.

- For rifles.
- Fastened with new, lockable snap fasteners.
- Padlocks can be attached using the integral holes.
- Extra sturdy and unbreakable.
- Water and airtight due to special O-ring.
- Integrated pressure valve.
- Extra wide.
- Wheels for easy transport.

Dimensions: 137 x 39 x 15 cm
Weight: 7.1 kg
Item No.: 285

6 Rifle case for 2 long guns

- Same features as Item 285.

Dimensions: 119 x 40 x 14 cm
Weight: 5.8 kg
Item No.: 286

7 Transport case ALL WEATHER SERIES

- For pistols.
- Same features as Item 285.

Dimensions: 53 x 42 x 23.5 cm
Weight: 4.5 kg
Item No.: 287

6

7

PLANO

SOFT CASES

1 SOFT RIFLE CASE

Thermo-formed body shell with TPR handles

- Covered, rust-proof zip fastener.
- Lockable with padlock.
- Support feet.
- High density foam inserts.
- Sturdy Velcro fastener for securing the rifle.

Dimensions: 128 x 28 x 9 cm

Weight: 3.0 kg

Item No.: 265

All specified case dimensions are external dimensions.

2 SOFT RIFLE CASE

- Inexpensive rifle case.
- Includes carrying strap.
- Pocket with zip fastener.
- Padded under smooth inner lining, therefore easy to clean

Dimensions: 120 x 28 x 5 cm

Item No.: 9206

HOT PRICE ahg

3

3 SOFT RIFLE CASE

- Simple and inexpensive soft case.
- For transporting rifles, includes side pocket.
- 5 cm foam.
- Pocket with zip fastener.

Dimensions: 127 x 26 x 9 cm

Item No.: 9202

4

4 SOFT RIFLE CASE

- 2 large pockets with zip fasteners.
- Fashionable colour.
- 5 cm foam.

Dimensions: 127 x 26 x 9 cm

Item No.: 9203

5 PICK-UP SOFT CASE

ahg-Anschütz has developed the new "PICK-UP" soft case in constant contact and cooperation with top shooters. The "PICK-UP" soft case is fitted with a new zip fastener system and other useful details.

The sporting gun and its sensitive accessories can be accommodated and transported safely and securely. As a special feature, an additional carrying strap system enables the soft case also to be carried on the back.

You can also use the soft case as a pad to protect the rifle during assembly.

- Inner lining of anti-static material keeps dirt off the rifles.
- Fixing strap with velcro fastener holds the rifle securely in the soft case.
- The cut of the soft case follows the shape of the rifle, thus preventing the rifle from slipping.
- Variety of straps for holding tools and accessories.
- Integrated holder for a spare compressed air cylinder.
- Practical carrying handle.
- Carrying strap system allows the case to be carried comfortably on the back.
- Loop for hanging on a hook.

Dimensions: 125 x 28 x 9 cm

Item No.: 9209 (black)
Item No.: 9209-b (blue)

SOFT CASES

1 SOFT RIFLE CASE

- Large outside pocket.
- Riveted carrying strap.
- Name plate pocket.
- Pocket for small accessories with zip fastener.
- Lockable with padlock.
- Fashionable colours.
- 6 cm foam.

Dimensions: 127 x 26 x 10 cm

Item No.: 9204 (blue)
Item No.: 9205 (silver)
Item No.: 9207 (orange)

1

2 HUNTING SOFT CASE
Gun Guard 500

Hard wearing soft case in 600D nylon, with impact-resistant, lint-free foam for rifles with and without telescopic sight. The firearm can be fastened inside with elastic straps. Additional muzzle protection cap on the outside. Adjustable shoulder strap and carrying straps which can be joined together.
The double zip fastener can be locked. Extra large outside pocket with two smaller internal pockets.

Colour: green

Internal dimensions: 122 x 28 x 6.5 cm

Item No.: 9214

2

3 SOFT CASE for hunters and target shooters

High quality soft case made from nylon material protects your sporting equipment during transport. A lock attached to the soft case meets the safety requirements of the German gun law.

- Hard-wearing, water-repellent nylon material
- Sturdy 2-way zip fastener
- 2 hinged accessory pockets, one of which is subdivided into various large functional compartments.
- Padded handle
- Lockable in accordance with the provisions of the German gun laws
- Lock attached to the soft case
- Lined inner padding, 6 cm thick
- Carrying strap

Internal dimensions: 127 x 28 x 9 cm

Item No.: 9213 (Soft case, black)
Item No.: 9213C (Colour camo)

3

4 CARRYING STRAP

- Adjustable in length.

Item No.: 9200 TR

4

All specified case dimensions are external dimensions.

5

5 SPORTS BAG - XXL

The sturdy XXL sports bag on wheels from ahg-Anschütz is padded all round to protect your valuable equipment.

The 160 litre capacity is divided up as follows:

- In the opened out top there is a zipped compartment which has sufficient space for a jacket or trousers.
- In the main compartment of the XXL bag there are 4 subdivisions in the base, 3 with zip fasteners and one with ventilation holes. They provide space and protection for all other objects. Other objects such as a jacket, stands or other accessories can be stowed in the compartments.
- The underbody is made of an injection moulded hard plastic and ensures that the ahg XXL SPORTS BAG does not sag when fully packed and does not tip over when upright.
- Wheels with ball-bearings from the field of in-line skates ensure that it runs easily and supports the weight effortlessly.
- A telescopic handle for pulling the bag and several hand-holds for loading or unloading are naturally provided as well.

Dimensions: 85 x 42 x 45 cm

Capacity: approx. 160 litres

Weight: 7 kg

Item No.: 296

BAGS

1 SPORTS BAG - BIG

The new two-part sports bag can be opened out from the centre by means of a zip fastener and when opened guarantees you a comprehensive view of your accessories.

You can pack your shooting jacket and shooting trousers with the minimum amount of folding in the large, lockable, single-section compartment. This will look after your clothing and keep it in good condition for longer. You can organise your valuable accessories such as shooting boots, gloves, spectacles, etc. clearly in the three-section compartment. No more bothersome and time consuming searching. The skate wheels and the extendable handle make for easy, effortless transport of the ahg sports bag.

The strong plastic base prevents deformation and protects your equipment.

Other items can be stowed in the patch pockets at the side or in the upper section.

Dimensions: 80 x 40 x 34 cm

Capacity: approx. 108 litres

Item No.: 292

1

2 SHOOTING SPORTS BAG with wheels

The stylish ahg shooting sports bag with extendable push handle has all the features that a bag for shooters should have:

- Sufficient space for jacket, trousers, boots, stand, scope, gloves, etc.
- Robust construction of the base (5 mm plywood) gives the bag exceptional stability and prevents the base from bending.
- 2 skate wheels on the base in conjunction with holding and carrying straps provide a wide selection of carrying and rolling transport options.
- Extendable handle ensures comfortable pulling.

Dimensions: 70 x 40 x 33 cm

Capacity: approx. 90 litres

Item No.: 290

2

3 HUNTING AND SPORTS BAG

An ANSCHÜTZ development from experience! Large travel bag for hunters and shooters with extra compartment for the shotgun case and many additional practical pockets. At last a bag for everything! Ideal for air travel. With extendable push handle and rollers.

Dimensions: 91 x 42 x 38 cm

Capacity: approx. 140 litres

Item No.: 294

3

4

4 Rucksack - ALL-IN-ONE

The ALL-IN-ONE pistol rucksack from ahg-Anschütz is made for beginners and professionals who want to enjoy the benefits of easily manageable pistol shooting. There is room for all the equipment in the various compartments: pistol in the customary case, hearing protectors, pellet box, shooter's pass, shooting boots, shooting glasses, tools, pen and target disks.
With this ALL-IN-ONE product, it is impossible to forget any items of equipment - everything is stowed in view. Holders for a mobile phone and a drinks bottle complete this innovative product.

Item No.: 291

5 BACK-PACK

A stylish rucksack that will prove useful when transporting equipment.
A patch pocket at the front provides space for a notepad and other things.

Item No.: 293-B (blue))
Item No.: 293-O (orange)

5

6

6 ACCESSORY BAG

For rear sights and hook butt plates.
The ahg accessory bag was developed to keep accessories such as hook butt plates and rear sights safe. Due to the padding in the bag, valuable accessories remain protected and do not slide about. The dimensions of the bag are such that it fits into a side pocket on the BIG roller bag (Item No. 292) without difficulty.

Dimensions: 32 x 22 x 10 cm

Item No.: 295

7

7 ACCESSORY BOX

Suitable for the safe keeping of accessories such as rear sights and sight sets. Due to the padding in the box, valuable accessories remain protected and do not slide about.

Dimensions: 30 x 6 x 18 cm

Item No.: 246

8

8 SHOOTERS' SERVICE BOX

- Big enough to stow all your cleaning implements inside.
- Clear organisation of all the parts stored within.
- A 'Must Have' for all hunters and target shooters.
- Removable base.
- Rubberised, plug-in rifle holder.

Dimensions: 56 x 36 x 29 cm

Item No.: 537

SPOTTING SCOPES

1 SPOTTING SCOPE 15–45 x 65

- High quality spotting scope with 45° angled eyepiece.
- Rotatable tripod flange permits optimum angular adjustment of the scope.
- Water-repellent surface.
- Suitable for all disciplines up to 100 m.
- Includes: carrying bag and tripod.

Item No.: 444

2 SPOTTING SCOPE 20 x 50

- High quality spotting scope with water repellent surface and low weight, 300 g.
- Eminently suitable for all pistol disciplines.
- Due to its compact construction, 19 cm long, there is room for it in any bag.
- Includes: carrying bag and tripod.

Item No.: 443

3 PRONE POSITION TRIPOD

- Special tripod for prone shooting.
- Robust, stable tripod.
- Non-slip feet.
- Can be folded up to save space.
- Low weight (275 g).
- Includes swivel joint.

Item No.: 454

4 MINI SCOPE for pistol shooters

The ahg Mini Scope with 25 x 30 magnification is eminently suitable for pistol shooters. Due to its very short length of 19 cm, it can be accommodated without difficulty in any pistol case or bag to save space. Also supplied are a small table tripod with a swivel joint and a protective box for the scope and the tripod.

Item No.: 449

5 SPOTTING SCOPE 20 x 33

This high quality spotting scope in aluminium with a 45° angled eyepiece is eminently suitable for all pistol disciplines. With a total weight of 266 g and a length of 18 cm, there is room for it in any case. Includes carrying bag and tripod.

Item No.: 447

6 BINOCULARS

These waterproof, non-fogging ahg binoculars are ideally suited to hunting and nature watching. High quality, fast lenses with multiple coating.

Item No.: 4205 (8 x 42)

7 UNIVERSAL TRIPOD - TWIN

Two for the price of one.

The sturdy TWIN universal tripod can be used as a rifle rest or alternatively for target observation in all 3 shooting positions. The accessories required for this, such as the aluminium rifle rest plate, telescopic pole, ammunition rest, swivel head for the spotting scope, prone position adapter screw and pedestal are all included.

Depending on the requirements, the tripod can be used as a rifle and ammunition rest in the standing and kneeling positions or as a tripod for a spotting scope in all 3 shooting positions.

The sturdy TWIN universal tripod can be adjusted simply and quickly to any shooting position.

1

2

3

4

5

6



7

8

9

10

11



11

12

8 BALL HEAD

The technically elaborate clamping mechanism in the aluminium head can absorb large forces and specially coated surfaces complement the characteristics of stability and grip. The ball head has connection threads of 1/4" and 3/8".

Item No.: 450

9 GUN REST

The gun rest has a 1/4" thread and is screwed on to the telescopic pole of the ahg universal tripod.

Item No.: 456

10 AMMUNITION HOLDER

The ammunition rest is clamped on to the telescopic pole (Ø 21 mm) of the TWIN universal tripod.

Item No.: 459-U1

11 Rifle stand GERMANY

This stand, made in Germany, is distinguished by the following features:

- Extremely light and compact construction, weight 1.5 kg.
- Y-shaped pedestal milled from solid aluminum.
- Folding struts on the base can be mounted and dismounted easily and quickly by means of plug-in connections.
- Recessed magnets in the struts and the base keep the struts in place.
- Three-part telescopic pole can be extended continuously from 68 to 160 cm.
- The ammunition holder is fixed to the telescoping pole and is adjusted to the shooting position.
- Aluminum plate with non-slip coating guarantees secure resting of the rifle.
- The design of the base allows space-saving and ergonomic positioning of the tripod to the shooting position.
- With a few manual operations, the tripod can be dismantled quickly, without tools to save space, and stowed in the bag supplied.

Item No.: 460

12 PRONE TRIPOD

The design of the folding struts on this prone tripod enable the shooter to position the tripod very closely and ergonomically to the shooting position.

A ball head supports the positioning of the spotting scope.

The folding struts and Y-shaped pedestal are milled from solid aluminum and can be mounted and dismounted quickly and easily by means of plug-in connections.

Recessed magnets in the struts and the base keep the struts in place.

With a few manual operations, the tripod can be dismantled quickly, without tools to save space, and stowed in the bag supplied.

Total weight incl. ball head: 770 g.

Item No.: 463

IRIS DISCS

Well adjusted...is half way there!

The continuously adjustable iris disc enables optimum focus adjustment. By opening and closing the iris, the shooter can see the sharpness of the target changing.

The best results are obtained in the range 1.0 – 2.0. The range above 2.0 can be helpful if a shooter has his eye far away from the rear sight – e.g. when shooting in a standing position.

Below 1.0, the iris aperture may appear unround, unsharp, angular or contaminated by dust filaments. However, this is just a physical effect which occurs as a result of the small diameter. If you check the iris at its smallest setting with a magnifying glass, you will see that the aperture is perfectly round. There is scarcely any use for this extremely small range.



Very dark.
Unsharp image.

Best image of target.
Optimum adjustment possible.

Iris aperture very large.
Large distance
Rear sight / Eye.

1 IRIS DISC

- Eyepiece with interchangeable diaphragm ring - SMALL.
- Adjustment range 0.5 – 3.0 mm.
- 15 lamellar segments
- Extra short construction.

Item No.: 9775-S (black)
Item No.: 9775-O (orange)

1

2 IRIS DISC

With 5-colour filter. A combination of ahg iris disc Item 9775 with 5 glass filters in the colours: light grey, dark grey, orange, yellow, C 41 blue.

- Eyepiece with interchangeable diaphragm ring - SMALL.
- Adjustment range 0.5 – 3.0 mm.
- 15 lamellar segments

Item No.: 9779-S (black)
Item No.: 9779-O (orange)

2

3 For BUSK/SAUER Rear Sight

IRIS DISC with 5-colour filter

Item No.: 9775-A/S (black)
Item No.: 9775-A/O (orange)

3

4 For BUSK/SAUER Rear Sight

IRIS DISC

Item No.: 9779-A/S (black)
Item No.: 9779-A/O (orange)

4

5 IRIS DISC

With 5-colour filter and full polarisation.

- Eyepiece with interchangeable diaphragm ring - SMALL.
- Adjustment range from 0.5 – 3.0 mm.
- With 5-colour filter: light grey, dark grey, orange, yellow, C 41 blue.
- Polarisation: 2 independently adjustable polarising filter discs.
- Continuous dimming.
- Dimming and polarisation are separately adjustable.
- Both diaphragms can be swung aside to give a direct view.

Item No.: 9781-S (black)
Item No.: 9781-O (orange)

5

6 IRIS DISC

With 5-colour filter. A combination of ahg Iris Disc 9775 with 5 glass filters in the colours: light grey, dark grey, orange, yellow, C 41 blue.

- Eyepiece with interchangeable diaphragm ring - SMALL.
- Adjustment range 0.5 – 3.0 mm.
- 15 lamellar segments

Item No.: 9786-S (black)
Item No.: 9786-O (orange)

6

IRIS DISCS

7

8

7 IRIS DISC - TWIN
with 10 colour filters and full polarisation

As for Item 9786 but with integrated polarization filter.
- Improved handling due to new colour filter changing rings.
- Adjustment range 0.8 – 1.8 mm.
- 15 lamellar segments.

Item No.: 9787-S (black)
Item No.: 9787-O (orange)

8 IRIS DISC

With polarization filter.
- Eyepiece with interchangeable diaphragm ring - SMALL.
- Adjustable from 0.5 – 3.0 mm.
- 2 independently adjustable polarisation filters to minimise reflections.
- Continuously variable brightness control.
- Dimming and polarisation are separately adjustable.
- Both diaphragms can be swung aside to give a direct view.

Item No.: 9780-S

9

10

9 IRIS DISC

With new lens optics.
- Iris disc with 1.5x magnification (from –4.5 to +4.5 diopters).
- Enables the shooter to adjust the image of the target exactly to the requirements of his eye.
- Extra short construction.

Item No.: 9530

10 IRIS DISC

With full polarisation and optics.

Item No.: 9551

11

12

11 IRIS DISC

With 5-colour filter and optics.

Item No.: 9570

12 IRIS DISC

With 5-colour filter, optics and full polarisation.

Item No.: 9575

13 ADAPTER

Can only be used on iris discs with optics: (Item 9530, 9551, 9570, 9575), so that these can also be used without optics.

Item No.: 9577

13

14

14 IRIS DISC - ERGO

- Iris disc with 5-colour filter (light grey, grey, yellow, peach and C 41 blue).
- New shape, specially designed for older shooters, optimised handling.
- Large numbers for good legibility.

Item No.: 9788

Available with 1.5x optics and integrated diopter compensation (+/– 4,5). (No illustration).
Item No.: 9789

OPTICS

1 DUO-IRIS APERTURE INSERT*

The inner and outer diameters of the aperture insert are continuously variable and thus offer the optimum possibilities for adjusting to the particular target sizes or lighting conditions. Due to its extremely wide adjustment range (see table) the duo iris aperture can be used for all disciplines. The duo iris aperture insert is available in 2 versions as a free-standing glass aperture Item 9760/9761 and also with cross hair, Item 9750/9751.
The cross hair can be changed to a lateral hair for airgun disciplines, as with Item 9740.

ANSCHÜTZ systems / Ø M18		Type
2.8–4.8 inner/6.4–9.0 outer	**Item No.: 9750**	
3.8–5.8 inner/7.6–10.2 outer	**Item No.: 9751**	
2.8–4.8 inner/6.4–9.0 outer	**Item No.: 9760**	
3.8–5.8 inner/7.6–10.2 outer	**Item No.: 9761**	

ANSCHÜTZ systems / Ø M22		Type
2.8–4.8 inner/6.4–9.0 outer	**Item No.: 9752**	
3.8–5.8 inner/7.6–10.2 outer	**Item No.: 9766**	
2.8–4.8 inner/6.4–9.0 outer	**Item No.: 9762**	
3.8–5.8 inner/7.6–10.2 outer	**Item No.: 9764**	

*__FEINWERKBAU__ systems; when ordering please add an **F** after the Item No.: (e.g. **9750 F**)

*__WALTHER__ systems; when ordering please add a **W** after the Item No.: (e.g. **9750 W**)

2 SUPER-IRIS APERTURE INSERT

- The diameter of the aperture is continuously variable from 2.8 to 4.8 mm for optimum adjustment to the lighting conditions and target sizes during competitions. The ring size remains constant.
- The cross hair can be changed to a lateral hair with the tool supplied.
- This ahg aperture insert is also delivered with a larger knurled ring to cover the view of the target better.
- The ahg Iris aperture insert is supplied with an M18 x 0.5 thread.

Ø M18 x 0.5		Width	Type
2.8–4.8	**Item No.: 9740**	1.6 mm	
2.3–4.3	**Item No.: 9742**	1.6 mm	
3.8–5.8	**Item No.: 9743**	2.0 mm	

SUPER-IRIS GLASS APERTURE INSERT

- Just like our proven ahg Super Iris aperture insert, Item 9740, the new ahg Iris Glass aperture has an extremely wide range of adjustment, which is made possible by the unique 2-claw design of the iris.
- The Iris Glass aperture is simply screwed into the front sight and is continuously adjustable.

Ø M18 x 0.5		Width	Type
1.8–4.3	**Item No.: 9733**	1.6 mm	
2.8–4.8	**Item No.: 9744**	1.6 mm	
2.3–4.3	**Item No.: 9745**	1.6 mm	
3.8–5.8	**Item No.: 9746**	2.0 mm	

Ø M22 x 0.5		Width	Type
1.8–4.3	**Item No.: 9749**	1.6 mm	
2.8–4.8	**Item No.: 9747**	1.6 mm	
3.8–5.8	**Item No.: 9748**	2.0 mm	
6.5–8.5	**Item No.: 9802**	2.0 mm	
8.0–10.0	**Item No.: 9803**	2.0 mm	

SUPER-IRIS GLASS APERTURE INSERT SQUARE

Adjustable aperture insert with ground glass supports and a square external contour. Ideal for bench rest shooters.

Ø M18 x 0.5		Width	Type
2.8–4.8	**Item No.: 9605**	1.6 mm	
3.8–5.8	**Item No.: 9606**	2.0 mm	

Ø M22 x 0.5		Width	Type
2.8–4.8	**Item No.: 9607**	1.6 mm	
3.8–5.8	**Item No.: 9608**	2.0 mm	

Ø M18

Ø M22

1

2

3

4

3 GLASS APERTURE - HIGH END

The aperture carrier is held in a ground glass carrier. In contrast to the previously used plexiglas, this is absolutely distortion and deformation free.
The combination of glass and matt black aperture produces maximum contrast. The use of glass and metal as materials gives the HIGH END temperature stability and thus makes it also ideal for large calibre rifles. Supplied without front sight.

Diameters available:
Aperture width from 1.2 mm, in 0.1 mm steps.

Item No.: 9507 For M18 x 0.5 (Ø 3.0 – 7.5 mm)
Item No.: 9508 For M22 x 0.5 (Ø 3.0 – 10.0 mm)

4 Front Sight - STRONG

The new ahg STRONG front sight is distinguished by the following features:

- Particularly sturdy.
- Milled slot at side for easier insertion and removal of the steel front sight insert, furthermore the size of the insert used can be seen (Front sight M 22 has no milled slot).
- Sturdy new clamping device, particularly suitable for 300 m, long range and crossbow.
- Suitable for Models 1407 – 1813 (replaces Anschütz front sight, Item 6523).

Item No.: 9759 for front sight M18
Item No.: 9763 for front sight M22

5

5 SUPER-IRIS-VARIO APERTURE INSERT

The first aperture insert in the world on which the tilt can be set at any time in a few seconds without the need for a tool.
The insert is screwed into the front sight to the end stop by hand.
It is not necessary to observe any particular orientation.
The locking nut is then tightened with the hook spanner.
The insert is fixed but can be rotated on its own axis to set the tilt. (There is a scale on the housing for orientation).
The cross hair or lateral hair can be adjusted to the degree of tilt in any position by simple rotation and identified by a marking on the front sight. If the position is changed, the aperture can be rotated according to the marking. The cross hair can be changed to the lateral hair (as with Item 9740).

Ø M18 x 0.5		Width	Type
2.3–4.3	**Item No.: 9735**	1.6 mm	
2.8–4.8	**Item No.: 9736**	1.6 mm	
3.8–5.8	**Item No.: 9737**	2.0 mm	

Ø M22 x 0.5		Width	Type
2.3–4.3	**Item No.: 9734**	1.6 mm	
2.8–4.8	**Item No.: 9738**	1.6 mm	
3.8–5.8	**Item No.: 9739**	2.0 mm	
5.0–7.5	**Item No.: 9801**	2.0 mm	

6

SUPER-IRIS-VARIO APERTURE INSERT Square

Based on the Vario-Swing, we have developed a Square model with a square external contour that can be adjusted to the angle of tilt without tools.

Ø M18 x 0.5		Width	Type
2.8–4.8	**Item No.: 9601**	1.6 mm	
3.8–5.8	**Item No.: 9602**	2.0 mm	

Ø M22 x 0.5		Width	Type
2.8–4.8	**Item No.: 9603**	1.6 mm	
5.0–7.5	**Item No.: 9604**	2.0 mm	

7

8

6 IRIS APERTURE INSERT WITH LATERAL HAIR

- For optimum adjustment to light conditions and target size.
- Using the lock nut, the aperture can be mounted to compensate for any tilt of the shooter.

Ø M18 x 0.5		Width	Type
2.8–4.8	**Item No.: 9520**	1.6 mm	
3.8–5.8	**Item No.: 9522**	2.0 mm	

Ø M22 x 0.5		Width	Type
2.3–4.3	**Item No.: 9523**	1.6 mm	
2.8–4.8	**Item No.: 9526**	1.6 mm	
3.8–5.8	**Item No.: 9527**	2.0 mm	

8 Front sight - SWING PLUS

Like the ahg SWING front sight, but with integrated raiser block. Elevation 8 mm.

SWING PLUS	M18
ANSCHÜTZ	**Item No.: 9753**
FEINWERKBAU	**Item No.: 9753 F**
WALTHER	**Item No.: 9753 W**

SWING	M22
ANSCHÜTZ	**Item No.: 9757**
FEINWERKBAU	**Item No.: 9757 F**
WALTHER	**Item No.: 9757 W**

7 Front sight - SWING

This absolutely novel design allows the sight to be turned around its own axis without the need for tools.

- The torque, i.e. the resistance to movement can be set variably on a handy adjusting collar.
- Tilt pins fitted to the sight can be easily removed.
- The scale on the sight allows the setting of different tilt angles to be repeated in the various shooting positions.
- Very pleasant target image due to the absolute symmetry and the narrow bar between the front sight base and the sight.
- The narrow bar can also be used for checking the tilt.

SWING	M18
ANSCHÜTZ	**Item No.: 9755**
FEINWERKBAU	**Item No.: 9755 F**
WALTHER	**Item No.: 9755 W**

SWING	M22
ANSCHÜTZ	**Item No.: 9756**
FEINWERKBAU	**Item No.: 9756 F**
WALTHER	**Item No.: 9756 W**

OPTICS

1 SPECIAL INSERT SET

A set consisting of sizes:
Ø 3,3/3,5–3,9/4,1/4,3/4,5 = 9 pcs.
- Low scattered light.
- Absolutely dazzle and reflection free.
- Strong contrast enhancement.
- Optimum depth of field.
- Constant ring width.

For M18 thread
Item No.: 9724-U8 (yellow)
Item No.: 9725-U8 (red)
Item No.: 9726-U8 (blue)
Item No.: 9727-U8 (crystal clear)

For FWB 602/603 M22 thread
Item No.: 9727F-U8 (crystal clear)

2 TRANSPARENT INSERT SET

A set for M18 thread, with diameters:
3.2 / 3.4 / 3.5 / 3.6 / 3.8 / 4.0 / 4.2 / 4.4.

Item No.: 9720-U8 (crystal clear)
Item No.: 9721-U8 (yellow)
Item No.: 9722-U8 (grey)
Item No.: 9723-U8 (red)
Item No.: 9719-U8 (pink)

3 SPECIAL INSERTS

New front sight insert, enhanced from an optical point of view, with significantly higher contrast. Due to the special geometry of the metal bush inset in the plastic body, light rays incident on the aperture are deflected outwards. Consequently the inner area of the aperture is practically free of scattered light, so that the target image appears with significantly greater contrast.

Available singly from 2.8 to 5.5 mm. For M18 thread.
Increments: 2.8–4.1 by 0.1 mm; 4.3–5.9 by 0.2 mm
Item No.: 9724 (yellow)
Item No.: 9725 (red)
Item No.: 9726 (blue)
Item No.: 9727 (crystal clear)

For M22 thread
Item No.: 9726 F (blue)
Item No.: 9727 F (crystal clear)

4 DUST CAP

Item No.: 9722-2 (for M18 front sight)
Item No.: 9722-3 (for M22 front sight)

5 TRANSPARENT FRONT SIGHT INSERTS

For M18 thread.
Item No.: 9719 2.8–4.8 mm (pink)
Item No.: 9720 2.8–8.0 mm (crystal clear)
Item No.: 9721 2.8–4.8 mm (yellow)
Item No.: 9722 2.8–4.8 mm (grey)
Item No.: 9723 2.8–4.8 mm (red)

For M22 thread
Item No.: 9720 F 2.8–9.1 mm (crystal clear)

6 CLAMPING RING for insert

For 9720 to 9727.

Item No.: 9722-1 (M18 x 0.5)
Item No.: 9722-4 (M22 x 0.5) (not shown)

7 OPTICAL LENS

Item No.: 9505-03 (0.3 diopters / M22)
Item No.: 9505-05 (0.5 diopters / M22)
Item No.: 9505-075 (0.75 diopters / M22)
Item No.: 9513-03 (0.3 diopters / M18)
Item No.: 9513-05 (0.5 diopters / M18)
Item No.: 9513-075 (0.75 diopters / M18)

10

11

12

12

light grey *light grey*		yellow *yellow*	
grey *grey*		orange *orange*	
dark grey *dark grey*		C41 blue *C41 blue*	
brown *brown*		C41 UV *C41 UV*	
green *green*		C41 peach *C41 peach*	

13

14

15

15 Iris disc TINY

- Iris disc with integral 5-colour filter (grey, dark grey, c41 blue, yellow, peach).
- Extremely small size.
- Specially developed for the SPY rear sight and the SIGHT BASE 10-50.

Item No.: 9514

8 SPIRIT LEVEL

- Two sizes, M18 and M22.
- Adjustment without the need for tools.
- Exact reproduction of different tilt angles.

Item No.: 9503 (for M18 front sight)
Item No.: 9504 (for M22 front sight)

9 SPIRIT LEVEL

For checking tilt without changing the head position. The spirit level is fixed to the dovetail directly in front of the rear sight.

- Easy, continuous adjustment while in the shooting position by means of the knurled screw.
- Easy centring of the front sight, as the level is not visible in the target image.

Item No.: 9506

10 REAR SIGHT SPY SHORT

Precision rear sight in aluminium, includes anti-glare tube

- Extremely narrow and compact.
- 24 clicks (0.02 mm per click).
- Wind flags can be observed with out difficulty in the shooting position.
- Illustration shows the CRYSTAL iris disc special accessory.

Item No.: 9515 (for Anschütz)
Item No.: 9515F (for FWB)
Item No.: 9515W (for Walther)

11 CRYSTAL IRIS DISC

Iris disc, short, compact, transparent

- Smallest fully serviceable iris, 0.8 – 1.8 aperture.
- Only 1 cm diameter, extremely short.
- Transparent housing.
- Fits all current rear sights.
- Illustration shows example of mounting on the SPY SHORT REAR SIGHT.

Item No.: 9516

12 LENS

Push-in colour filter for SPY anti-glare tube (only fits SPY REAR SIGHT).
Easy to fit, easy to clean.

Available in the following colours:
light grey, grey, dark grey, brown, green, yellow, orange, C41 blue, C41 UV and C41 peach.

Item No.: 9517 (+colour)

13 FRONT SIGHT CRYSTAL

Transparent housing for maximum brightness and contrast

- Infinitely adjustable about its own axis
- Insertable cross pins for checking tilt
- Outstanding target image

Item No.: 9518 (M18 for Anschütz)
Art.-Nr.: 9519 (M22 for Anschütz)

14 Rear sight SIGHT BASE "10-50"

Rear sight for 10, 50 and 100 metres.
Ground, ball-bearing mounted, fine-threaded spindles in stainless steel guarantee absolute precision. This sight base has the advantage that the shooter can still observe the environment e. g. the wind conditions. The shooter still has an overall view while taking rough aim.
When shooting outdoors, it also allows better observation of the weather conditions such as wind or mirage.

1 click at 10 m corresponds to 0.25 mm and at 50 m, to 1.22 mm.
The total weight of the rear sight is around 200 grams.
Can be used with all current sports rifles.

Item No.: 9805

ACCESSORIES

1 Raiser Block - TOWER

The robust two-sided toothed profile of the TOWER raiser block allows a simple and sturdy adjustment of the sighting line in 8 stages without spacers and discs. This offers many advantages especially when in the standing or kneeling position. Twisting of the head when sighting the target is reduced to a minimum, thus largely avoiding tension in the neck or back areas. The basic height is 27 mm and can be raised in 1.5 mm steps to a maximum of 38 mm.
Due to the long rail of the TOWER, the rear sight can be moved closer to the eye, which is an advantage especially for benchrest shooters.
The Tower raiser block is clamped without distortion to the barrel and prism block with spring-loaded jaws.
The Tower raiser block may be used for all air and small-bore rifle disciplines. With air rifle shooting, however, care must be taken that the height of 60 mm permitted by the sporting regulations is not exceeded. The measurement is made from the centre of the front sight to the centre of the barrel.
Suitable for all ANSCHÜTZ rifles.
Weight: approx. 140 g

Item No.: 6928

2 Raiser Block - TOWER PLUS for small-bore rifles

The bridging of the loading platform stabilises the receiver. Vibrations arising in this area during shooting are reduced, thus improving shooting performance.
Due to the long rail of the TOWER, the rear sight can be moved closer to the eye, which is an advantage, especially for benchrest shooters. The Tower raiser block is clamped without distortion to the barrel and prism blocks with spring-loaded jaws. The raiser block may be used for all small-bore rifle disciplines. The 165 mm long rear sight rail offers many options for mounting sighting devices and accessories.
Suitable for all Anschütz small-bore rifles.
Weight: approx. 230 g

Item No.: 6929

3 Raiser Block - CLUB

- Height and laterally adjustable raiser block.
- Basic height 10 mm.
- Height variable in 4 mm steps up to 22 mm.
- Sighting line can be moved laterally by 4 mm in one step.
- Rear sight rail can be shifted back by 25 mm (Mini-tele).

Item No.: 6916 (For Match 54, 1407–1813)
Item No.: 6917 (For Walther rifles)
Item No.: 6918 (For FWB rifles)
Item No.: 6919 (For Anschütz rifles Model 1903–9003)

4 Raiser Block - XXL

The 20 mm elevation offers advantages primarily in the standing and kneeling positions. The twisting of the head when sighting the target is reduced to a minimum, thus largely avoiding tension in the neck or back areas.
The raiser block may be used for all air and small-bore rifle disciplines.

Item No.: 6922 (For Anschütz rifles Model 1903-9003)
Item No.: 6921 (For FWB rifles)
Item No.: 6920 (For Walther rifles)

5 Raiser block - TRACK

- Variable lateral adjustment.
- Elevation 9 mm.

Item No.: 6924 (For Anschütz rifles)
Item No.: 6925 (For FWB rifles)

1

2

Elevation adjustment for TOWER and TOWER PLUS

3





4

5

6

7



6 RAISER BLOCK

- 100 % fit.
- For Anschütz Model 1903-2013.
- Only 4 mm high.

Item No.: 6923

7 Raiser Block - TRACK MAX

With the TRACK MAX the sights can be moved laterally, thus optimizing the head position.
The basic height is 22 mm. It can be extended to 27 mm in 1 mm steps. Continuous lateral movement up to 8 mm is possible. These individual adjustments allow an even more perfect adjustment of the sights, especially in the standing or kneeling position. Tension in the neck or back muscles can virtually be eliminated.

Item No.: 6926

8

8 SIGHT-TRACK BASE

- Long rear sight tunnel prevents any disturbing influences from scattered light.
- The bridging of the loading platform stabilises the receiver. Vibrations arising from the shot are reduced.
- Additional weight above the axis of the barrel compared to normal sights.
- Increase in optical value due to Top Design.
- Aiming and tilt errors can be better recognised as a result of the long anti-glare tube.

The SIGHT-TRACK BASE is also available as a complete rear sight with 10-click or 20-click optics

Item No.: 9797-U1 (Complete rear sight, 10-click)
Item No.: 9797-U2 (Complete rear sight, 20-click)
Item No.: 9797-U3 (Sight-Track base)

9

9 RUBBER EYESHADE for rear sight

Item No.: 9700

10

10 EYESHADE

- Fold-up eyeshade for the non-aiming eye.
- Rubberised clip for secure, non-slip clamping to all current spectacle frames.

Item No.: 9777-1 (white)
Item No.: 9777-2 (translucent)

11

11 EYESHADE with iris disc

- Fold-up eyeshade.
- Adjustable iris disc.
- Rubberised clip for secure, non-slip clamping to all current spectacle frames.

Item No.: 9778

12

12 REAR SIGHT EYESHADE including 2 plates

The ahg Rear Sight Eyeshade is simply pushed on to the existing iris or sight disc aperture. The two plastic plates supplied (translucent and black) can be swung out individually as desired.

Item No.: 9497

13

13 EYESHADES

For rubber eyeshades. The ahg eyeshades can simply be attached to existing rubber eyeshades (ahg 9700 or JGA 6700-20) which have a diameter of 27 mm. The two plastic plates (translucent and black) can now be swung out individually as desired.

Item No.: 9496

14

14 EYESHIELD for sight disc aperture

- In Sikolex or Lexan.
- Is simply pushed on to the iris aperture disc to cover the non-aiming eye.
- The eyeshield can be individually cut to size.

Item No.: 9776-1 (white)
Item No.: 9776-2 (translucent)

15

15 EYE SHIELD

The eye shield is simply put over the existing iris disc or sight disc aperture and covers the non-aiming eye. In order to find the best position of this shield for your shooting position, the ahg-cover shield can be turned 360° around the rubber eyeshade. The eye shield conforms to the rules of DSB and ISSF.

Item No.: 9492 (translucent)
Item No.: 9493 (black)

16



16 Strasser eye shield - SMALL

- Conforms to the new DSB and ISSF rule.

Item No.: 9494 (black)
Item No.: 9498 (white)
Item No.: 9499 (translucent)

17

17 Strasser eye shield - BIG

Item No.: 9500 (black)
Item No.: 9501 (white)
Item No.: 9502 (translucent)

ACCESSORIES

1 DUPLEX

X-Y adjusting unit for holding a centring ring or a centring iris.

The Duplex is, like an iris disc, an accessory element that can be adapted to a rear sight and is thus a part of the rear sight. An anti-glare tube can be screwed on to many commercially available rear sights. This tube forms the supporting element for the Duplex, which is attached by means of a clamping piece.

The Duplex can be used with the Duplex Iris or the Duplex Insert (Ring).

Item No.: 9767

2 DUPLEX Insert

The Duplex Insert is a ring similar to an aperture insert which, from an optical viewpoint, lies in the plane of the iris rear sight opening. This ring divides the halo between the iris rear sight opening and the front sight. The effect is a sharper image of the target and the recognition of aiming errors.

Available in hole sizes 3.8 to 4.6.

The position of the Duplex Insert is adjustable both laterally and in elevation by means of the X-Y adjusting unit, in order to centre the ring of the insert

Item No.: 9768 (yellow)
Item No.: 9769 (clear)

3 DUPLEX Iris

The Duplex Iris provides containment and shadowing of the halo between the iris rear sight opening and the front sight. This facilitates the centring of the front sight in the iris rear sight opening for some sportsmen, aiming precision increases and older shooters can see the insert and target more sharply.

The position of the Duplex Iris is adjustable both laterally and in elevation by means of the X-Y adjusting unit, in order to centre the aperture of the Duplex Iris.

Item No.: 9770

4 COLIMATOR

Ball joint for the lens hood is required for aligning the anti-glare tube (lens hood) or the Duplex when the adjustment range of the Duplex is insufficient.

Item No.: 9785

SPY COLIMATOR

Anti-glare tube with integrated ball joint for
Spy rear sight as a support element for the Duplex.

Item No.: 9785-U1 (not shown)

5 LENS HOOD ANS

- Anti-glare tube suitable for centra-sight-base, MEC free-sight and Anschütz rear sights (6702/6802)
- Facility for mounting the following accessories: DUPLEX, LENS, LENSPOL

Item No.: 9772

LENS HOOD 7020, suitable for 7002 rear sight

Item No.: 9771

LENS HOOD FWB, suitable for Feinwerkbau rear sight

Item No.: 9774

1

2

3

4

5

Item No.: 9772

Item No.: 9771, 9774

INFO



incorrectly adjusted

correctly adjusted

Application examples

Better sight with the other eye (Master eye)

6

6 Lateral sightline offset

If you are a right-handed shooter but have to aim with the left eye, you can compensate for this disadvantage with the newly developed ahg Master Eye. This lateral sightline offset allows aiming with the left eye for right-handed shooters or the right eye for left-handed shooters. The rear sight remains over the axis of the barrel and affects the axial balance of the rifle only minimally. For transport in a rifle case or soft case, the complete rear sight can be detached or only the side mount part. The side mount and the 2-part adapter screw have a toothed profile and an adjustment pin. The position of the side mount can be fixed repeatably with a clamping screw. The rear sight can remain mounted on the rifle if necessary.

Item No.: 1015 (incl. M 18 front sight, suitable for all current target rifles)

Item No.: 1016 (incl. M 22 front sight, suitable for all current target rifles)

7

7 TELESCOPIC SIGHT 1.5 – 5 x 24 Reticle KK50

At 3.5x magnification, the inner diameter of the ring is 133 mm. As a result of its small magnification and low weight, this telescopic sight is well suited to free-hand shooters. The reticle is fitted in the 2nd image plane, so the distance between the ring on the reticle and on the target can be changed as desired by a change in magnification.

- All glass surfaces have a multi-layer coating
- Shock, moisture and dust resistant
- Large field of view
- Quick adjustment of the eyepiece
- Click adjustment: 1 click ¼ MOA
- Parallax free 50 m
- Supplied with 11 mm mounting ring
- Center tube Ø 30 mm, length 270 mm

Item No.: 4210

8

8 TELESCOPIC SIGHT 4 – 12 x 44 AO Reticle KK50

At 3.5x magnification, the inner diameter of the ring is 133 mm.

- Parallax free 10 m – infinity
- Center tube Ø 25.4 mm, length 345 mm

Item No.: 4211

9

9 TELESCOPIC SIGHT 3 – 12 x 44 Reticle KK50

At 3.5x magnification, the inner diameter of the ring is 133 mm.

- Parallax free 50 m
- Centre tube Ø 30 mm, length 320 mm

Item No.: 4212

INFO



10



10 MONOFRAME for 25 mm spectacle lens

Your individually corrected spectacle lens is clamped in the ahg-Monoframe. Using a thread adapter and a clamping block, the ahg Monoframe is mounted centrally in front of the rear sight or iris disc. Your sight defect is thus corrected directly at the iris disc and consequently aiming errors are avoided to a large extent.
Only spectacle lenses with an outside diameter of 24 mm can be used.
The ahg MONOFRAME does **not** conform to the currently applicable rules of DSB and ISSF, but can be used for many other disciplines.

Starting from the DSB sports regulations of 01.01.2011, the use of the ahg Monoframe is permitted in Senior Classes B and C and from 01/01/2013 also in the age groups.

Item No.: 9450 A/A (Anschütz/Anschütz)
Item No.: 9450 B/B (Busk/Busk)
Item No.: 9450 B/A (Busk/Anschütz)

Item No.: 9450-U1 (Anschütz adapter screw)
Item No.: 9450-U2 (Holder for lens frame)
Item No.: 9450-U3 (Lens frame)

ACCESSORIES

1 Precise Plus fore-end raiser block

A new fore-end raiser block with unsurpassed adjustment possibilities.

The centrepiece is a high-strength aluminum carrier which offers 5 individual snap and/or thread adjustments. The Precise Plus fore-end raiser is simply slid into the swivel rail on the stock and fixed in the desired position.

The two bearing surfaces are made from plastic and are fixed to the aluminum carrier with an angle bracket and can be adjusted individually in height, width and angle in order to match the contact with the supporting hand. This is especially important if the stock rests on the palm of the shooter's hand.

The minimum width of the Precise Plus fore-end raiser is 36 mm and it can be expanded to a maximum of 68 mm.

Item No.: 1010

1



2 BARREL EXTENSION for Anschütz 2013-U6 short barreled actions

The extension of the sights by 194 mm guarantees precise aiming and an improved depth of field of the whole target image, especially when shooting in the prone position.
The additional weight of 107 g, increases the muzzle inertia during firing and thus stabilises the rifle in the shooting position.
The muzzle tube can be dismounted for cleaning and transport by loosening the clamping screws.

Overall length: 440 mm
Sight extension: 194 mm
Total weight: approx. 485 g

Item No.: 4516

2

3 Muzzle tube TENMINATOR

The extension of the sights by approx. 250 mm guarantees precise aiming and an improved depth of field of the whole target image, especially when shooting in the prone position. The additional weight of approx. 270 g, increases the muzzle inertia during firing and thus stabilises the rifle in the shooting position.
The newly developed muzzle coupling can be adjusted to the diameter of the barrel and allows a stable and secure fastening of the muzzle tube from 21 to 26 mm. Fitting to all current match rifles is therefore possible.
The muzzle tube can be dismounted for cleaning and transport by loosening the clamping screws. An 8 mm raiser block, which is required for the rear sight, is not supplied.
Muzzle tube with adjustable clamping muzzle coupling.

Outer diameter:	40 mm
Inner diameter:	35 mm
Overall length:	approx. 300 mm
Sight extension:	approx. 250 mm
Adjustable clamping:	21 – 26 mm
Total weight:	approx. 270 g

Item No.: 4514

3

4 Barrel Tuner "Starik-Tube"

Barrel extension for extending the sighting line and improving shooting performance (subject to technical changes).

- Collet fixing
- Individual balance and vibration by variable positioning of the additional weight.
- Improvement of shooting performance due to regulation of the vibration.
- Includes positioning ring.
- Weight: 380 g incl. tuning weight, 200 g without tuning weight

Please specify barrel diameter and rifle model when ordering.

Item No.: 4517

4



5

Item No.: 2120

Item No.: 2121

Item No.: 2122

5 COMPRESSED AIR BOTTLES

German manufacture with TÜV approval of 10 years.

5 litre, 200 bar compressed air bottle with base and carrying handle
Item No.: 2120

10 litre, 200 bar compressed air bottle with base and valve guard
Item No.: 2121

20 litre, 200 bar compressed air bottle with base and valve guard
Item No.: 2122

10 litre, 300 bar compressed air bottle with base and carrying handle
Item No.: 2123 (not shown)

6 COMPRESSED AIR CYLINDER

Aluminium with pressure gauge, 430 g, 43 cm long.
Item No.: 008293 silver
Item No.: 008649 blue
Item No.: 008295 JUNIOR silver (300g, 29cm)

7 ALLEN KEY 4406

4 mm (wavy shank).
Item No.: 001487

6

7



8 TORQUE WRENCH

New design helps to ensure a constant torque when tightening the stock set screws of target rifles. Adjustment range of 4 – 12 Nm.
Item No.: 4506-SW4 (incl. 4 mm insert)
Item No.: 4506-SW5 (incl. 5 mm insert)

9 INSERTS for Item 4506

Item No.: 4505-1 (4 mm)
Item No.: 4505-2 (5 mm)

10 UNI TOOL

Includes all the important Allen key sizes and a screwdriver as needed for adjusting screws on the rifle. Sizes 2.5 mm, 3 mm, 4 mm and a screwdriver.
Item No.: 1200

8

9

10

ACCESSORIES

1 FOREND WEDGE

For ANSCHÜTZ small bore aluminium stock.
This forend wedge can be easily attached just by sliding on to the Anschütz small bore rifle aluminium stocks (Model 2213 and 2313). By shifting your hand position (back and forth), you can change the height of your shooting position individually. This will enable you to adust quickly and efficiently to the different peculiarities of the shooting range. Also eminently suitable for shooters with shorter arms. Weight: 350 g

Item No.: 1021

2 BI-POD

The bi-pod ensures that the rifle is set down safely when preparing for a competition. The wide spacing of the balls gives the weapon a secure position when set down. The two supports can be folded in to save space during transport.

Item No.: 9793

3 REAR SIGHT ROTARY KNOB SET

For ANSCHÜTZ 6805 / 7002 rear sight.

Item No.: 4806-3 (blue)
Item No.: 4806-4 (red)

4 HAND STOP - INTEGRAL

You need the right equipment for a successful competition. The ergonomic, ideally designed ahg INTEGRAL HAND STOP can make a significant contribution towards bringing out your best performance. The handstop is adjustable in all directions and adapts to your shooting hand without compromise. Individual adjustments to the hand stop (horizontal, vertical, axial and radial) distribute the high forces that are transmitted from your target sling to your hand. The concentration required for a precise shot will no longer be disturbed by an aching hand.

Item No.: 6229

5 PROTECTIVE WRAPPING for compressed air cylinders

This protective wrapping can be adjusted in stages from 35.5 to 57 cm and protects the compressed air cylinder from damage, dust and moisture. Valves and threads on the compressed air cylinder thus remain protected. Suitable for ANSCHÜTZ, FWB, Walther and other cylinders up to a diameter of 33.5 mm. Supplied without the compressed air cylinder.

Item No.: 1320

6 HAND STOP - SMALL with sling swivel

The sling swivel stud is detachable and can remain on the target sling.

Item No.: 6225

7 HAND STOP with sling swivel

The sling swivel stud is detachable and can remain on the target sling.

Item No.: 6226-1 (silver)
Item No.: 6226-2 (purple)
Item No.: 6226-3 (blue)
Item No.: 6226-4 (orange)

8 SLING SWIVEL with push button

Suitable for hand stops 6225, 6226, 6227, 6229 and 4572.

Item No.: 6226-13

1

2

3

4

5



5

6

7

8







15 ALUMINIUM BALLS

For screwing onto the bolt handle.
M8 thread.

Item No.: 4804-1 (gold)
Item No.: 4804-2 (purple)
Item No.: 4804-3 (blue)
Item No.: 4804-4 (red)
Item No.: 4804-5 (green)
Item No.: 4804-6 (silver)

16 Bolt handle head - DESIGN

For screwing onto the bolt handle.
M8 thread.

Item No.: 4805-3 (blue)
Item No.: 4805-4 (red)

9 SPECIAL TRIGGER SHOE

- Constant finger position.
- Uniform trigger weight.
- 2 types of finger contact selectable (pointed or round).

Suitable for FWB and Hämmerli.
Item No.: 9715

Suitable for Anschütz 1907–2013 with trigger blade.
Item No.: 9716

10 TRIGGER SHOE

For Anschütz triggers 5018/5071.

- Constant finger position.
- Variable height adjustment.
- 360° rotating trigger ball.
- Variable length adjustment of trigger blade. (can be adjusted further forward than the original blade).

Item No.: 9717

11 Mechanical trigger shoe - SENSOR

The requirement for the use of the mechanical trigger shoe is a directly set (no first stage) trigger. Direct adjustment can gain valuable time when pulling the trigger. Due to a short lever movement and the use of an adjustable precision spring, the trigger operation between first stage travel and second stage is very clean and clearly defined at the second stage. An uncontrolled release (pulling when ready to fire) e.g. due to stress is virtually impossible.

- The weight of first stage is adjustable (screw 1) from 10 to 70 grams.
- The first stage travel is individually adjustable (screw 2)
- The contact surface or finger position is adjustable in height (screw 3)
- The trigger shoe can be adjusted sideways (screw 4).
- The trigger shoe can be swivelled and rotated about the centre column (screw 5).
- Optimum adjustment guarantees safe and clean pulling of the trigger.

Item No.: 9718

12 STABILIZER

Improves the recoil behaviour of the rifle when firing. An optimum setting reduces the upwards movement of the rifle. Using the weights you can balance the leverage individually in the axial, vertical and horizontal directions. Weight: 393 g.

Item No.: 8020

13 Balance weight - Model SWISS

The SWISS balance weight, for free firearm and sports rifle is simply pushed onto the swivel rail of the fore-end and fixed manually with the detent lever. After fixing, detent lever can be set to the zero position. The 4 ring weights (25 g each) can be moved individually on the graduated weight rail as desired and thus be adjusted to the shooter's required balance. The total weight is approximately 204 g and can be increased by a further 6 ring weights.

Item No.: 8022

14 BARREL WEIGHT

- Weight: 200 g.
- For barrel diameter 20 – 22.5 mm, e.g. for ANSCHÜTZ Models 1407–1907, 2001–2002.
- Felt strips prevent scratches.

Item No.: 8007

ACCESSORIES

1 Hook butt plate - Model PRECISE

Individual positioning and various demands during strong competition require new designs. The Precise butt plate has everything needed to go beyond the previous limits of adjustment possibilities for a butt plate.
A 160 mm long perforated rail with 3 drilled axes adjacent to one another ensure individual basic adjustment about the vertical axis. The 6 stop pins per row form a fitted shoulder support. The stop pins can be adjusted individually so that, independently of one another, the vertical and horizontal radii are matched to the size and shape of the shoulder.
The ball-headed pins can make contact with a maximum of 12 points on the shoulder. Clamping plates screwed in at the sides fix and secure the pins in the desired position. This enables precisely repeatable positioning and optimum controllability of the rifle.
The butt plate can be fitted to all current match rifles.
A guide plate with integrated quick release clamp secures and fixes the height and depth adjustment of the butt without using tools. The fine adjustment permits an additional elevation correction in the shooting position.
A 5-part adjustable hook, which may be fitted for small-bore and large-bore disciplines, completes the ergonomic adjustment possibilities of the butt plate.

Hook butt plate complete, including hook and quick adjustment

Item No.: 5000

1





2 Adjustable hook

For PRECISE aluminium butt plates.

Item No.: 5006

2

3 Aluminum butt plate - Precise

We offer an alternative model for air rifle shooters or for sportsmen who prefer a more slender butt plate:
6 stop pins adjustable in length on the vertical axis of the butt plate make optimum contact with the shoulder. Rubber inserts on these pins also improve the hold. Clamping screws fitted at the sides fix and secure the pins in the desired position. This enables precisely repeatable positioning and optimum controllability of the rifle. Shooters who wish to use this butt plate for the 3-position discipline can use the adjustable hook, Item No.: 5006.

Item No.: 5010

3



Rubber plug (No. 5009) not glued in – can be removed without problems.

4 Aluminum butt plate - Precise with hook

For sportsmen who prefer a slender butt plate for the 3-position discipline there is an aluminium butt plate with just one row of stop pins with a hook. 7 stop pins adjustable in length on the vertical axis of the butt plate make optimum contact with the shoulder. Rubber inserts on these pins also improve the hold. Clamping screws at the side secure and fix the stop pins in the desired position. This enables precisely repeatable positioning and optimum controllability of the rifle.
For shooters who wish to use this butt plate for the 3-position discipline, the hook Item No.: 5006 is already included!

Item No.: 5012

4

Rubber plug

Item No.: 5009

5

5 Safety Cord - SIGNAL LINE

Some time ago the safety regulations for shooting ranges were tightened to the effect that the state of an unloaded sporting weapon must be clearly visible. As of now, ahg is offering the SIGNAL LINE safety cord (approved by the DSB), which can be used with all calibres. The red signal cord is passed through the chamber into the barrel of the rifle or pistol and pulled through the muzzle, thus indicating that the firearm cannot be loaded.
We supply the safety cord in individual packs of 1m, and also in packs of 10m, so that you can cut up the cord yourself.

Item No.: 1400 (1 m)
Item No.: 1401 (10 m)

6 SECURITY KEYED gun lock

Secures your firearm from unauthorised use.
Suitable for all rifles.

CAUTION:
Fit only to an unloaded rifle.
Always store firearms in an unloaded condition!

Item No.: 001588

7 BOLT PROTECTOR

The BOLT PROTECTOR is made of special plastic and protects the bolt during transport from damage and dirt that could cause malfunctions.
For safety reasons, the bolt should always be transported separately and unlocked from the rifle. Most transport companies, including airlines, already stipulate by law the separate transport of rifle and bolt.
The ahg Bolt Protector has been developed to protect the bolt from damage and malfunctions while being transported separately.
The ahg BOLT PROTECTOR consists of a plastic sleeve with an integral guide for the bolt and a removable aluminium cap for easy cleaning of the sleeve. The bolt is inserted into the protector in the cocked state and positioned on the guide at the same time. Turning the bolt handle locks the bolt in the protector and automatically uncocks the firing pin or the firing pin spring.

For all Anschütz match rifles, Models 1407–2013

Item No.: 1322
Item No.: 1322-L (left-handed version)
Item No.: 1323 (for Match 54 hunting repeaters)
Item No.: 1324 (for FWB 2700)

6

7

8 SAFETY LOOK

Safety first!
- Plastic cartridge with signal flag.
- Indicates that there is no live cartridge in the chamber.
- Prevents cooling of the barrel.

Available in the following calibres:

Item No.: 1300 Safety look for cal. .22 l.r.
Item No.: 1301 Safety look for air rifles and pistols
Item No.: 1302 Safety look for cal. .32
Item No.: 1303 Safety look for cal. .38 / 9 mm / .357
Item No.: 1304 Safety look for cal. .44
Item No.: 1305 Safety look for cal. .45
Item No.: 1306 Safety look for cal. 6 mm BR / .308 Win. / 30.06
Item No.: 1307 Safety look for cal. 6.5 x 5.5
Item No.: 1308 Safety look for cal. 8 x 57
Item No.: 1309 Safety look for cal. 7.5 x 55
Item No.: 1310 Safety look for pellet cal. 12
Item No.: 1311 Safety look for cal. 9 mm / para

8

BENCH REST ACCESSORIES

1 MONOFRAME for 25 mm spectacle lens

Your individually corrected spectacle lens is clamped in the ahg-Monoframe. Using a thread adapter and a clamping block, the ahg Monoframe is mounted centrally in front of the rear sight or iris disc. Your sight defect is thus corrected directly at the iris disc and consequently aiming errors are avoided to a large extent.
Only spectacle lenses with an outside diameter of 24 mm can be used.
The ahg MONOFRAME does **not** conform to the currently applicable rules of DSB and ISSF, but can be used for many other disciplines.

Starting from the DSB sports regulations of 01.01.2011, the use of the ahg Monoframe is permitted in Senior Classes B and C and from 01.01.2013 also in age groups.

Item No.: 9450 A/A (Anschütz/Anschütz)
Item No.: 9450 B/B (Busk/Busk)
Item No.: 9450 B/A (Busk/Anschütz)

Item No.: 9450-U1 (Anschütz adapter screw)
Item No.: 9450-U2 (Holder for lens frame)
Item No.: 9450-U3 (Lens frame)

2 BENCH REST WEDGE

For Anschütz and FWB air rifles with a sloping fore-end. Simply push it into the aluminum swivel rail and screw tight.
Item No.: 1005 (hardwood)
Item No.: 1006 (black hardwood)
Item No.: 1008 (black hardwood, 7° slope)

3 Bench rest wedge - CONTACT

Due to its weight and the 2-point contact on the contact surface, the 'Contact' aluminum bench rest wedge prevents any shaking and sliding of the rifle. The Softlink suspension, known from the Anschütz 9003 air rifle, also reduces the recoil from your sporting rifle. This is especially noticeable in the small bore disciplines.

Dimensions: L = 340 mm, W = 58 mm, H = 14 mm

Weight: 350 g

Item No.: 1023 (silver)
Item No.: 1023-S (black)

4 ANGLE PLATE for the CONTACT bench rest wedge

Some bench rest shooters prefer to tilt the rifle in the shooting position to achieve better seating of the butt plate in the shoulder area.
To enable this individual fine tuning the ahg angle plate, Item 1024 has been developed as an additional accessory for the bench rest wedge, Item 1023.
When the aluminium angle plate is used, the rifle is tilted on the bench rest by 10° along the axis of firing and guarantees the shooter a tension-free, precisely repeatable shooting position. Additionally machined transverse slots allow the centre of gravity of the rifle to be positioned exactly over the centre of the bench rest wedge.

Weight: 204 g, Angle of tilt: 10°

Item No.: 1024 (Illustration with 1023-S)

5 Bench rest stock - AS 300

A stock designed for small bore bench rest shooting with a low lying centre of gravity.

- Aluminium butt plate adjustable in length (Item 5012).
- Finely adjustable cheek piece.
- Recoil-damping concave aluminium bench rest wedge (Item 1023).
- Can be used with Anschütz Match 54 actions with round receivers.
- Models 1407–1413, 1807–1813, 1907–1913.

Length-adjustable walnut thumbhole stock with Precise butt plate for accurate adjustment of the butt plate in the shooting position.

BENCH REST ACCESSORIES

6

Vertically adjustable Precise cheek piece with fine adjustment, horizontal micrometer adjustment with up to approx. 40 mm backward displacement of the cheek piece.

Sequentially engraved scales guarantee non-interchangeable repetition of the desired settings.

The cheek piece settings can be adjusted without tools while in the shooting position.

The long fore-end with integrated CONTACT bench rest wedge features the wide two-point rest and Softlink recoil damping.

The ahg angle plate (Item 1024) can also be fitted optionally.

Overall length: approx. 880 mm – 920 mm

Weight: approx. 2500 g

Item No.: AS-300 (1407 – 1913)
Item No.: AS-300-U3 (2007/2013)



7



6 Aluminium bench rest rail - MAGNUM

The Magnum aluminium bench rest rail allows the rifle to be tilted continuously on the bench rest in order to achieve a tension-free and precisely repeatable shooting position at the shoulder.
A radially adjustable rail on each side enables the rifle to be tilted at angles up to 20°. Specially arranged axles on the base rail guarantee 2-point contact on the bench rest surface. The Softlink bearings in the base rail minimise the recoil of the rifle, especially in small-bore disciplines.

Weight: 555 g

Item No.: 1026



8



7 ADJUSTING RAIL for a cheek piece

To optimise the shooting position, especially when bench rest shooting, the sturdy and continuously adjustable (towards the back, up to 13 cm) mechanism is fitted to the original ANSCHÜTZ cheek piece adjustment (2213-8200). The continuous adjustment range enables the shooter to find his optimum head position.
The backwards adjustable cheek piece thus offers a stable, repeatable shooting position.
Neck and throat muscles are relieved.
None of the previous functions of the cheek piece settings are affected and they can be adjusted as usual.
Suitable for all Anschütz rifles that are fitted with the 2213-8200 cheek piece adjuster.

Item No.: 1025



9

8 Rear sight rail - TELE

To move the rear sight back for bench rest shooting.

Item No.: 1003 (for Anschütz rifle)
Item No.: 1004 (For FWB rifles)

10



9 REAR SIGHT TUBE

To move rear sight iris apertures back:
The ahg rear sight tube is available in 30 and 50 mm lengths. They can be screwed into any standard rear sight and thus extend the iris to the rear so that the shooter can adopt a more comfortable, relaxed head posture when bench rest shooting. Because they are threaded, the individual tubes can also be combined with one another to produce various length combinations.

Item No.: 9773-30 (30 mm)
Item No.: 9773-50 (50 mm)

10 SIGHTING LINE EXTENSION for bench rest shooting

An optimum combination of sighting line extension and raiser block, specially developed for bench rest shooting. The benchrest shooter looks through the sight set in a completely different way.

Due to the displacement to the rear and upwards it is possible to adapt to the different shooting positions without compromise. 200 mm

For Models 1907, 8002 and later.
Item No.: 007065

For Models 1407 – 1813 (not shown)
Item No.: 008551

BENCHREST

1 BR 50 BENCHREST STOCK

For square and round ANSCHÜTZ actions. ANSCHÜTZ has developed a non-stained stock with a very wide, flat for-end especially for "bench rest" shooting.

Material: natural walnut.

Suitable for all square 2013 and 2007 barrelled actions
Item No.: BR50-U1

Suitable for all round 1913 and 1907 barrelled actions
Item No.: BR50-U2

1

2 BR 50 BENCHREST STOCK

Suitable for all square 2013 and 2007 barrelled actions
Item No.: BR50-U6

Suitable for all round 1913 and 1907 barrelled actions
Item No.: BR50-U7

2

3 1913A STOCK

- With old cheek piece and butt plate adjustments.
- Suitable for Models 1407 to 1913.

Item No.: 1913A

3

4 Caldwell Shooting Rest "The Rock BR"

When the Caldwell Rock BR bench rest is used, the potential of the smallest test fire groups for the rifle and ammunition can be achieved.

Fine elevation adjustments are made by a large, coated, fine adjustment wheel, running on ball bearings, with a threaded spindle.

Coarse elevation adjustments are made with an extendable post with integral clamping device.

In the horizontally adjustable support cradle there is an adjustable clamping device with pads, vertically adjustable fore-end stop and spirit level built in.

A Y-shaped base with 3 stainless steel screwed feet, each fitted with lock nuts.

With a total weight of approx. 7.0 kg, the required stability is achieved.

Technical data

- Height of rest vertically adjustable - min. approx. 130 mm, max. 235 mm.
- Support cradle horizontally adjustable approx. 12 mm.
- Width of fore-end guide adjustable min approx. 165 mm, max. 230 mm.
- Base made of powder coated cast iron.
- Levelling feet with lock nut (stainless steel) individually adjustable.
- Fore-end stop and guide walls adjustable.
- Total weight approx. 7.0 kg.
- 3-part support cushion.

Item No.: 8315

4

MEC ACCESSORIES & BOOKS

5

6

7



8

9



10

11

12



13

14

15

5 MEC "TRIGGER" TRIGGER SHOE

- Can be tilted to the side.
- Blade can be moved freely.
- Longitudinal grooves for secure grip.
- Optimum width.
- Variable rings for sensing height.
- Light aluminium construction for function and stable fixing.

Item No.: 9906 (for Anschütz)
Item No.: 9907 (for FWB)
Item No.: 9908 (for Walther)

6 MEC "CONTACT III"

Aluminium butt plate.

- Continuous adjustment to any shooting position.
- Very good grip.
- Fits all current air rifles.

Item No.: 9903

7 MEC "FREE POSITION"

Butt plate for super match and sport rifles.

- Unsurpassed range of adjustments.
- Wing elements can be adjusted in height and angle and can be rotated about the axis.
- Suitable for all current small-bore match rifles.

Item No.: 9904

8 MEC HAND STOP

- Can be moved to the side, i.e. the hand can be individually positioned on the stock.
- Variable height. The height can be adjusted to suit the anatomy of a particular hand by using spacers.
- The special shape minimises pain.
- There are two options for attaching the sling swivel: the sling pull can come from the centre (fixed to the knurled screw) or it can come proportional to the lateral offset, not from the centre (fixed to the "bobbin").
- Scaling of the lateral offset.

Item No.: 6227

9 MEC "TUBE"

- Sighting line extension for air rifles.
- Extends the sighting line to the maximum.
- Continuous adjustment of the sighting line.
- Variation of the weight and the balance.
- Reduction of recoil.

Item No.: 9900 (for Anschütz)
Item No.: 9901 (for FWB)
Item No.: 9902 (for Walther)

10 MEC "VISOR"

- Neoprene eyeshield.
- Lightweight shielding from scattered light.
- Can be shaped as desired.

Item No.: 9905

11 Palm rest - CHAMPION

- Adjustable in all directions.
- Exchangeable hand rest.
- Hand rest swings radially about the centre line of the barrel.

Item No.: 9910

12 MENTAL TRAINING IN SHOOTING

Over 144 pages, successful coach Anne-Grethe Jeppesen and psychologist Anne Marte Pensgaard explain the importance of mental strength during competition and give advice on how to acquire it. The book is only available in English.

Item No.: 9915E (English)

13 LUFTGEWEHR-SCHIESSEN (AIR RIFLE SHOOTING)

Reference book for shooters.

Item No.: 9912 (German)
Item No.: 9912E (English)

14 WEGE DES GEWEHRS (WAYS OF THE RIFLE)

Reference book for shooters. Volume 1.

Item No.: 9911 (German)
Item No.: 9911E (English)

15 ANSCHÜTZ Büchsenmacher seit Jahrhunderten (Gunsmiths for Centuries)

and exciting documentation especially for weapon experts, hunters, marksmen and shooting sportsmen, illustrated with nearly 200 photographs, pictures of historic weapons and unique contemporary documents. 170 pages.

Item No.: 009115 (German)

MEASURING

1 OVERLAP MEASURING DEVICE

Conforms to ISSF Rule 7.4.7.8.2

Item No.: 572

2 SHOE MEASURING DEVICE

Conforms to ISSF Rule 7.4.7.3.4.1

Item No.: 575

3 TRIGGER PRESSURE GAUGE

- For measuring the magnitude and constancy of the trigger resistance.
- All gauges are fitted with a weight pointer and a drag pointer which indicates the release weight of the trigger.

Trigger pressure gauge:	Setting range:
Item No.: 540	5 – 50g
Item No.: 541	25 – 250g
Item No.: 542	50 – 500g
Item No.: 543	200 – 2000g

4 VELOCIMETER

- For compressed air rifles and pistols.
- Ideal for coaches to check the speed of the sports air rifle.

Item No.: 547

5 PISTOL BOX

For all current air pistols. Conforms to ISSF Rule 8.1.6.0
Dimensions: 420 x 200 x 50 mm
Item No.: 570

For sports pistols. Conforms to ISSF Rule 8.1.6.0
Dimensions: 300 x 150 x 50 mm
Item No.: 571

6 THICKNESS GAUGE

Conforms to ISSF Rule 7.4.7.7.1.1

Item No.: 573

7 THICKNESS AND RIGIDITY GAUGE

This new measuring device can measure the thickness as well as the rigidity of your shooting garments. Supplied with case.
Conforms to ISSF Rule 7.4.7.7.2.2

Item No.: 548

8 TRIGGER TESTING WEIGHT

- Comprising 4 parts. Air pistol 500 g, standard pistol 1000 g and target pistol 1360 g can be checked with one gauge.
- Spring pre-loaded for smooth measurement.
- Includes 140 g replacement weight and wooden case.

Item No.: 545

9 SCORING GAUGE

Available in calibres .177 for air pistol and air rifle, and .22l.r., .32 and .38. The scoring gauge is supplied with or without magnifier.

Item No.: 550 .177 air rifle with magnifier
Item No.: 551 .177 air pistol with magnifier
Item No.: 552 .22 l.r. with magnifier
Item No.: 553 .32 with magnifier
Item No.: 554 .38 with magnifier
Item No.: 556 .177 air rifle
Item No.: 557 .177 air pistol
Item No.: 558 .22 l.r.
Item No.: 559 .32
Item No.: 560 .38

10 SCORING GAUGE SET

Consisting of 7 different gauges in calibres .177, .22, .32, .38 and .45, as well as negative gauges for air rifle and air pistol.

Item No.: 562



11 SCORING GAUGE SET Large with magnifier

Consisting of 14 different gauges with and without magnifier in calibres .177, .22, .32, .38 and .45, as well as negative gauges for air rifle and air pistol.

Item No.: 561

12 COMPRESSED AIR HAND PUMP with Pressure Gauge

For easy filling of compressed air cylinders for rifles or pistols.

Item No. 8300
Item No. 8301 (with dry air filter unit)

13

13 Sole stiffness measuring device

Conforms to ISSF Rule 7.4.6.7.6.

Item No.: 576

14 BAUER High Pressure Compressor with Condensed Water Separator

Very high quality compressor with air filter system, for compressed air refill bottles.
Technology conforms to DIN, VDE, TÜV and UV regulations.

Compressor, 200 bar, for 220 V/230 V, 50 HZ, 1.1 kW power, air throughput approx. 30 l/min.
Item No.: 530/220 V

Compressor, 200 bar, for 110 V, 60 Hz, 1.1 kW power, air throughput approx. 30 l/min.
Item No.: 530/110 V

14

15

15 BAUER Junior Compressor

Robustness and reliability have made the JUNIOR II a worldwide classic and a genuine best seller, with over 30,000 systems sold. The patented TRIPLEX® filter system guarantees the purest breathing air according to the breathing air standard, DIN EN 12021.

AC 220 V
Weight: 46 kg
Dimensions: 66 x 36 x 42 cm (L x W x H)
Delivery rate: 100 l/min
Motor power: 2.2 kW
Speed: 2300 rpm
Filling time 2 min. for 12 l bottles
Item No.: JuniorII

16





16 SCATT USB PROFESSIONAL Aiming Point Imaging

Computer-controlled aiming point imaging (infrared system) for almost all sports rifles and pistols.
For home training (dry) and live shooting with compressed air. Materials supplied:

- Measurement frame with insert for air rifle target.
- Cable for connecting to PC (also supplies power).
- Processor with connecting cable.
- Sensor (only 30 grams approx.) with connecting cable and 5 tie straps for all barrel diameters.
- Program on CD, manual & installation instructions.

The most fully developed aiming point method for professional demands:

- Exact measurement from 4–12 metres, simple operation.
- Clear menu guide, easy calibration.
- USB interface.
- Windows menu control, comprehensive file management.
- Programs for all ISSF competitions - rifle, pistol, bow.
- Diverse analysis options.
- On-line Help and Update.
- For public relations.
- For all performance classes.
- For professional training.

Minimum requirements:
IBM-compatible PC, processor 350 MHz or faster, 32 MB RAM, CD-ROM drive, SVGA monitor (800x600, 16 bit colour), 2 USB ports. Windows: 98, 2000, Me, XP, VISTA 32bit. Internet Explorer 4.01 or higher.
Item No.: Scatt-USB

17

17 Scoring Machine RM-IV

Detects the target type and discipline automatically and prints out the result in tenth or full rings.

Item No.: RM-IV

GUN CARE

1 Carbon cleaning rod

This carbon cleaning rod is distinguished by qualities such as tensile strength, rigidity, flexibility and corrosion resistance.
Damage to chamber or barrel by bending of the rod is almost impossible.
The lightweight carbon rod is inserted free of play with axial ball bearings, specially designed for this application, in the handle so that friction is greatly reduced. The cleaning material thus follows exactly the barrel's profile (land and rifling).

Technical data
Ø 5 mm single piece, wiping length 900 mm, for cal. .22 l.r. to 6.5 mm, external thread 1/8".

The carbon cleaning rod is supplied with cleaning set Item. 581.

Item No.: 580



Item No.: 581

Brush Cleaning Set

Consisting of:
Brass spike for cotton patches, woollen swab and feather brush for cal. .22 l.r. Internal thread 1/8".

Item No.: 581

2 Cleaning accessories for cleaning rod

Adapter for internal thread 1/8" to 8x32.
Item No.: 586

Brass spike for 1" cotton patches, suitable for cal. .22 l.r., internal thread 1/8".
Item No.: 582

Spring brush in pack of 3,
suitable for cal. .22 l.r., internal thread 1/8".
The special spring brush adapts to the internal profile of the barrel, follows the twist of the barrel exactly and removes bullet and powder residues.
Item No.: 584

Brass brush in pack of 3, suitable for cal. .22 l.r., internal thread 1/8".
Item No.: 585

Woollen swab in pack of 3, suitable for cal. .22 l.r., internal thread 1/8".
Item No.: 583



3 Cotton flannel patches

Lint-free, 1" round patches made from 100% cotton flannel, suitable for cal. 22 l.r..
500 pcs.

Item No.: 504

4 Fluna Tec TFT optical foam cleaner

Fluna Tec TFT optical foam cleaner is a special foam for cleaning of hunting opticals, computer screens, cell phones, spectacles, laptops as well as various glass and plastic surfaces.

Properties:
- Special cleaning foam.
- Long lasting.
- Antistatic in use.
- Extremely high stability.
- High cleaning power.
- Does not penetrate the casing.
- Cleans without residues or streaking.
- Does not contain alcohol.
- Easy to use.

100ml aerosol can

Item No.: 566

5 ANSCHÜTZ ceramic coating

ANSCHÜTZ Keramik Coat is a heavy-duty PTFE/ceramic coating for all types of firearms and knives. Despite its excellent lubricating properties, Anschütz Keramik Coat is residue free; it forms an invisible film on the firearm:

Its PTFE-structure bonds firmly with the treated surface and provides long-lasting protection against corrosion, while the ceramic structures give the firearm a highly polished appearance. The functionality is maintained and the shooting precision can be improved by polishing the barrel profile. ANSCHÜTZ Keramik Coat works on metal and plastic. Right from the first treatment – even with older firearms.

- Residue-free, non-greasy coating.
- Prevents dust from accumulating.
- Long lasting effect.
- Economical in use.
- Salt and fresh water resistant.
- High temperature resistant from 40 °C to +750 °C.
- Cleaning of the firearm is made easy.

Anschütz Keramik GunCoating 100 ml aerosol can
Item No.: 563
Anschütz Keramik GunCoating 100 ml liquid
Item No.: 564
Anschütz Keramik GunCoating 300 ml aerosol can
Item No.: 565

6

7

8

9

10

11

12

13



6 SIGHT DARKENER - BLACK MATCH

To remove reflections from the front sight, rear sight and barrel.

- Just use it like a lighter:
  Light it and blacken the desired parts.

Item No.: 523

7 CLEANING SET

The cotton wicks are pushed into the grooves in the barrel and remove all powder and dirt residues.

- No removal of the bolt required.
- For rifles and pistols.
- Tear resistant up to 60 kg.
- For all calibres, including air rifles.
- Very light and fits anywhere.
- Cleans simply and thoroughly just by pulling.
- No more screwing together necessary.

Item No.: 507

8 COTTON WICKS

Refill pack for Item No. 507.

- 32 cotton wicks for rifles and pistols.

Item No.: 508

9 CLEANING ROD

For cleaning rifles and pistols.

- Cleaning rod (86 cm) with rubber coating for cleaning pads and cleaning brushes.
- For 4.5 mm and .22 l.r. calibre.
- Includes brushes for 4.5 mm and .22 l.r. calibre.

Item No.: 505

10 CLEANING TISSUES

Oiled cleaning tissues are very well suited to firearm care and provide optimum rust protection for all metal parts. ahg cleaning tissues can be used to remove all powder residues and fingerprints from the firearm.

Item No.: 522

11 COTTON PADS

Lint-free 1 1/4" pads made from 100% cotton.
Contents: 100 pcs.

Item No.: 503

12 CLEANING PATCH

Refill pack for Item No. 505.

- 50 Cleaning patches.
- For optimum gun care.
- Absorbent and lint free.

Item No.: 506

13 VFG CLEANING PROGRAMME

The complete programme for the careful cleaning of your sports equipment.

(1) **BARREL CLEANER for rifles**

Item No.: 519	80 Barrel cleaner cal. .22 l.r.
Item No.: 525	50 Barrel cleaner cal. 6 mm
Item No.: 526	50 Barrel cleaner cal. 7.5 mm
Item No.: 527	50 Barrel cleaner cal. 8 mm
Item No.: 528	50 Barrel cleaner cal. 9.3 mm

(2) **BARREL CLEANER for rifles**
Calibre .22 l.r., bag of 500.
Item No.: 520

(3) **SUPERINTENSIVE CLEANER**
Calibre .22 l.r., box of 80.
Item No.: 521

(4) **CLEANING ROD**
One piece for calibre .22 l.r. – 6.5 mm.
Item No.: 530

(5) **ADAPTER for cleaning rod 530**
Item No.: 531

(6) **FAST CLEANING PATCHES**
For air rifles and air pistols, 4.5 mm calibre, box of 100.
Item No.: 514

(7) **SUPERINTENSIVE CLEANING PATCHES**
Calibre 4 – 4.5 mm, box of 100.
Item No.: 513

(8) **SUPERINTENSIVE CLEANING PATCHES**
Calibre .58, special felt with brass fibres, box of 25.
Item No.: 534

(9) **FAST CLEANING PATCHES**
For air rifles and air pistols, 4.5 mm calibre, box of 500.
Item No.: 515

(10) **BARREL CLEANER for rifles**
Calibre 4 – 4.5 mm, box of 100.
Item No.: 516

(11) **BARREL CLEANING PASTE**
Polishes, restores and conserves, approx. 60 g.
Item No.: 511

(12) **LUPUS Teflon Grease**
approx. 50 g
Item No.: 510

(13) **PLASTIC CLEANING ROD**
For air rifles and air pistols, calibre 4,5 mm
Item No.: 512

(14) **FELT MAT**
A felt mat to protect your gun and table.
Dimensions: 30 x 100 cm.
Item No.: 529

AMMUNITION BOXES AND AMMUNITION

1 AMMUNITION BOX

The SB-200 ammunition box for .22 l.r., .17 Mach 2 and .17 HMR has been developed to facilitate removal of the ammunition in sports shooting. It is especially suitable for low temperatures, when the fingers tend to stiffen. The box has a capacity of 100 cartridges plus 2 cartons which fit in the middle.
Dimensions: 22 x 11 x 5 cm

Item No.: 269

2 SAFETY BOX

Safety-Box for pellet tins. The annoying problem of attaching and removing the adhesive tape from the tins is now over. The tin is simply put in the Safety Box and is ready for use.

Item No.: 2101

3 PELLET BOX

The secure competition packaging.
- Simple to fill and easy to take out.
- Suitable for 4.5 mm (.177) calibre.
- For 100 Diabolo pellets.

Item No.: 1001

4 PELLET WOK

Using the PELLET WOK simplifies picking up the individual pellets from the tin to load the rifle. The special plastic ahg Pellet Wok is inserted in the original ammunition tin and filled with approx. 100 pellets. Due to the special shape of the Woks, the individual pellets are protected from deformation when they are being handled.

Item No.: 2105

5 SPORT PELLETS

Sport pellets for air rifle or air pistol, made by H+N.
- Only available in 4.5 mm calibre.
- For air rifle and air pistol.
- Tin with 500 pellets.

Item No.: 2103

6 MATCH PELLETS

Target pellets for air rifle and air pistol, made by H&N.
- Available in 4.5 mm calibre.
- For air rifle and air pistol.
- Tin with 500 pellets.

Item No.: 2102

7 FINALE MATCH PELLETS

Finale target pellets for air rifle and air pistol, made by H&N.
- Available in sizes 4.48 / 4.49 and 4.5 mm.
- For air rifle and air pistol.
- Tin with 500 pellets.

Item No.: 2100

8 Qiang Yuan pellets

Qiang Yuan pellets win over due to their exceptional precision.
Available in size 4.5 mm und 4.49 mm / cal. .177
Weight: 0.53 g / 8.2 gr

Packed individually in a competition plastic box of 200 pcs.

Item No.: 2104

Round plastic box with 500 pellets.

Item No.: 2106

1

2

3

4

5

6

7

8

Item No.: 2104

9

8

Item No.: 2106

9 Accessory box - EXTREME GUIDE

Equally important as the safe transport of a target rifle is the safe transport of its associated high quality ammunition rifle is the safe transport of its associated high quality ammunition.
- Watertight, unbreakable and dustproof.
- Easy to open fastener.
- Rubber lining with the additional function of an O-ring seal for even more protection.
- Automatic pressure equalisation valve - equalises the pressure in the box but does not allow water to penetrate.
- Eyelet for a padlock.
- Is suitable for transporting up to 300 calibre .22l.r small-bore cartridges.

Dimensions: 19.5 x 14 x 6 cm
Colour: yellow
Weight: 420 g

Item No.: 266

20 PEWTER-BORDERED PLATE
Ø 27 cm
Item No.: 3007

21 BEER MUG
Item No.:3005
Item No.:3006

Item No.: 3005

Item No.: 3006

Detailed view - right

Detailed view - left

RIFLE PINS

- Length 56 mm. With butterfly fastener.

10 Item No.: 2005 (Model 2013)
11 Item No.: 2002 (Model 1912) for cleaning
12 Item No.: 2009 (Model 9003) for cleaning
13 Item No.: 2013 (Model 1918) for cleaning

14 TIE CLIP 2313

- Length 66 mm.

Item No.: 2006

15 KEY FOB 9003

- Length 102 mm. Simple design.
- In 3-D embossed technology. With key ring.

Item No.: 2012

16 KEY FOB 1912

- Length 102 mm. Simple design.
- In 3-D embossed technology. With key ring.

Item No.: 2003

17 KEY FOB 2313

- Length 102 mm. Simple design.
- In 3-D embossed technology. With key ring.

Item No.: 2007

18 ahg PIN

- Diameter 15 mm. With butterfly fastener.
- Soft enamel, stamped iron.
- With ahg-Anschütz logo motif.

Item No.: 2001

19 LANYARD KEY FOB

- ANSCHÜTZ Design.
- Quick separation of key fob and strap.
- Includes aluminium box.

Item No.: 2010

22 BULLET HOLE Sticker

Item No.: 3000

Item No.: 3001

Item No.: 3002

Item No.: 3003

Item No.: 3004

EAR AND EYE PROTECTION

1 ELECTRONIC HEARING PROTECTORS

Optimum protection. The sound damping switches in automatically when there is a bang.
- Allows speech to pass through.
- No impediment in the shooting position.
- Outstanding sound insulation properties.
- Continuously adjustable.
- Folding stereo ear muffs with built-in electronics, attenuates from 75 dB (shooting noise etc.), with replaceable batteries. Perfect hearing of the surroundings (voices, signals), but attenuates interfering noise.

Item No.: 307

2 PELTOR POCKET HEARING PROTECTORS

The slim design of the ear cups is particularly well suited to sports shooters:
- Very light (approx. 180 g).
- Comfortable fit.
- No impediment in the shooting position.
- Amazingly good sound damping properties.
- Continuously adjustable.

Item No.: 313

3 POCKET HEARING PROTECTORS

A product specially developed for shooters from a sound-insulating perspective:
- Very light (approx. 196 g).
- Foldable.
- Wide, soft sealing rings.
- No impediment in the shooting position.
- Comfortable fit.

SNR	H	M	L
24dB	28dB	21dB	13dB

Item No.: 308 (black)
Item No.: 308-B (blue)
Item No.: 308-G (green)

4 JELLY PLUG hearing protector

JELLY PLUG ear plugs attenuate shooting noises, allowing you to concentrate better on the competition.
- Easily washable.
- Joined by a neck cord.
- Includes plastic box for secure storage.

Item No.: 306

5 CEASE FIRE ear plugs

The ear plugs absorb or reduce all loud or impulsive noises by means of a built-in filter, but without affecting the comprehension of speech.
The hearing protectors are washable and are supplied with a plastic box for secure storage.

Item No.: 305



6 SPORTS GLASSES

Sturdy sports glasses protect your eyes and increase the contrast of the environment.

Item No.: 1012 (clear)
Item No.: 1013 (grey)
Item No.: 1014 (yellow)

Jäggi Nova SHOOTING GLASSES



The setting options are significantly improved by the laser-etched scale on the frame and the aiming lens ring and the nose bridge.

7

8

All filter clips are simply clipped on to the lens frame and are available in 25, 31 and 42 mm sizes.

	25 mm	31 mm	42 mm
Yellow	**Item No.: 9061-25**	**Item No.: 9031-31**	**Item No.: 9040-42**
Orange	**Item No.: 9063-25**	**Item No.: 9035-31**	**Item No.: 9042-42**
ACE Amethyst	**Item No.: 9066-25**	**Item No.: 9038-31**	**Item No.: 9045-42**
UV-400 SAAR	**Item No.: 9067-25**	**Item No.: 9086-31**	**Item No.: 9046-42**
Green shot	**Item No.: 9068-25**	**Item No.: 9069-31**	**Item No.: 9070-42**

9



10



11

12

13

Item No.: 9032 25 mm right
Item No.: 9032-L 25 mm left
Item No.: 9033 31 mm right
Item No.: 9033-L 31 mm left
Item No.: 9034 42 mm right
Item No.: 9034-L 42 mm left

Fitting the iris disc



Practical design, simple handling and outstanding stability are the basic qualities of shooting glasses in the ahg range.

JÄGGI NOVA Shooting Glasses

Meet all these expectations in their conceptual design and furthermore offer a sensibly put together range of accessories which guarantees optimum conditions for all shooters even with strong visual defects and under extreme light conditions at the range.
With one model it is possible to shoot with rifle, pistol or with open sights by simply and quickly changing the lens frame - without a tool.
The square guide on the frame and glass holder prevent the lens ring from unintentional movement or adjustment while shooting.
The Jäggi Nova shooting glasses are supplied in a small, handy case for protection.

7 SHOOTING GLASSES

Shooting glasses for **rifle** with 42 mm lens frame , bent legs (39 g light), frame length 160 mm, with fold-up eye shield in a small case.

Item No.: 9000-42 (for right-handed shooters)
Item No.: 9001-42 (for left-handed shooters)

Shooting glasses as above + 31 mm lens frame.
Item No.: 9000-31 (for right-handed shooters)
Item No.: 9001-31 (for left-handed shooters)

Shooting glasses as above + 25 mm lens frame.
Item No.: 9000-25 (for right-handed shooters)
Item No.: 9001-25 (for left-handed shooters)

Shooting glasses for **pistol** with 42 mm lens frame, straight legs (39 g light) frame length 160 mm, with fold-up eye shield in a small case.

Item No.: 9002-42 (for right-handed shooters)
Item No.: 9003-42 (for left-handed shooters)

Shooting glasses as above + 31 mm lens frame.
Item No.: 9002-31 (for right-handed shooters)
Item No.: 9003-31 (for left-handed shooters)

8 FILTER CLIPS

All filter clips are simply clipped on to the lens frame and are available in 25, 31 and 42 mm sizes.

9 LENS FRAME

for pistol: 31 mm / 42 mm.

Item No.: 9015-31
Item No.: 9017-42

10 LENS FRAME

for rifle: 25 mm / 31 mm / 42 mm.

Item No.: 9014-25
Item No.: 9016-31
Item No.: 9018-42

11 EYESHADE

For right and left-handed shooters.

Item No.: 9084K

12 SIDE BLINKERS

To protect from scattered light, side blinkers which conform to the latest rules of the ISSF and DSB can be attached to the frames of the glasses.

Item No.: 9081

13 IRIS DISC, pivoting

The iris discs are screwed on to a titanium carrier. This reduces the weight considerably and improves wearing comfort.

ANSCHÜTZ AIR RIFLES

1 9003 Premium S2 Precise

- Action carrier designed using vibration analysis.
- Action carrier milled from high tensile aluminium blocks.
- Precise aluminium butt plate with individual adjustment options.
- Consecutive scale markings prevent changes to the settings.
- Maintenance-free stabilizer and dry firing device.

Includes: Precise aluminium butt plate, sights 6834, raiser block, cover caps for cheek piece and butt plate adjustment, plastic rifle case and accessory box.

Item No.: 011402 (Hand grip size L)
Item No.: 011384 (Hand grip size M)
Item No.: 011444 (Left hand version, hand grip size L)

2 8002 S2 Compressed Air Aluminium PRO-Grip

The match compressed air rifle which meets all modern requirements of today's competition air rifles and the latest state of technology:

- The barreled action is embedded into the action carrier via vibration absorbing elastomers so that vibrations which occur in the barreled action of the air rifle during shooting are effectively absorbed.
- Maintenance-free stabilizer.
- The newly developed trigger unit offers a constantly reliable trigger service even during fluctuations in temperature.
- The dry firing mode can only be changed in the cocked condition; it is therefore not possible to un-cock the action by pushing the dry firing switch once the trigger has been released. Unintentional firing is thus prevented.
- Hand grip, cheek piece and for-end are made of PRO-Grip® material.

Includes: sights 6834, raiser block, barrel weight and sliding weights, plastic rifle case and accessories box.

Item No.: 009259 (Hand grip size L)
Item No.: 009255 (Hand grip size M)
Item No.: 011357 (Left hand version, hand grip size L)

3 8002KI S2 hardwood

with maintenance-free stabilizer.

Includes: sights 6834, aluminium butt plate 4759 and accessories box.

Item No.: 012944

4 8002 S2 Bench Rest Start

- Bench rest walnut stock, right/left.
- Adjustable forend wedge.
- The cheek piece can be continuously adjusted in height.
- Rear stock prepared for clamping piece and butt plate carrier – consequently adjustable in length and attachment of various butt plates to the carrier is possible.

Includes: sights 6834, sight extension 200 mm, rubber butt plate 4709A and accessories box.

Item No.: 009266

5 8001 Compressed Air Verein Walnut

- Walnut stock right/left hand.
- The cheek piece can be continuously adjusted in height and the butt plate can be continuously adjusted in length on unthreaded steel pillars.
- Cocking lever can be fitted to the left or right.

Includes: sights 6834, rubber butt plate 4709A, barrel weight and accessories box.

Item No.: 009165

ANSCHÜTZ SMALL BORE RIFLES, cal. .22 l.r.

6 1903 Natural Walnut

- Classic small bore beginner's rifle.
- Robust, durable, precise and consequently suitable as a club rifle.
- Available as a right or left handed rifle.
- Anatomically perfect walnut stock.
- Cheek piece individually adjustable by means of spacers.
- Butt plate adjustable in height and length.

Includes: Hand stop 6226, screwdriver, Allen key, user manual and original test fire group. (For sights, see accessories.)

Item No.: 000271
Item No.: 000280 (left hand version)

7 1913 in 1918 Alu Precise Stock

- Further development of the successful Match 54 barrelled action.
- Preferred model of small-bore shooters worldwide.
- Individually finely adjustable 5018 match trigger.
- Shortest lock time.
- Extremely smooth-moving bolt.
- Heavy target barrel, length: 660 mm

Includes: Plastic rifle case, hand stop 6226, for-end raiser block, screwdriver, Allen key, user manual and original test fire group. (For sights, see accessories.)
Item No.: 010863 (Hand grip size L)
Item No.: 010864 (Left hand version, hand grip size L)

1907 in 1918 Alu Precise Stock

Hand grip M, incl. fore-end raiser block and hand stop.

Item No.: 010859 (no illustration)

8 2013/690 in 2018 Alu Precise Stock

- Heavy, square breech case.
- Solid design.
- Compact action/stock interface using 4 bedding screws.
- Large bedding area.
- Very long barrel mounting.
- Heavy target barrel, length: 690 mm

Includes: Plastic rifle case, hand stop 6226, for-end raiser block, screwdriver, Allen key, user manual and original test fire group. (For sights, see accessories.)
Item No.: 010862 (Hand grip size L)
Item No.: 010861 (2007/660, hand grip size M)

9 1907 Walnut

Preferred model of small-bore shooters worldwide.

Includes: Hand stop 4751, screwdriver, Allen key, user manual and original test fire group.

Item No.: 011905

10 1907 in 1914 stock

For sports rifle discipline up to 6.5 kg and the 3 position event.

Includes: Hand stop 6226, fore-end raiser block 4856, plastic rifle transport case, screwdriver, Allen key, user manual and original test fire group.

Item No.: 011905

11 1913A BENCHREST in BR-50 walnut stock

with 4709A rubber butt plate.

Item No.: 011762

BIATHLON RIFLES

1 ANSCHÜTZ 1827 F Sprint nitrided

Barrelled action: Extremely short lock time. Patented Fortner straight pull action with repeating device. Match two-stage trigger adjusted to 550 g.

Barrel: Cold-tested, nitrided special barrel (Ø16 mm) for long service life. Special front sight with snow cover.

Stock: Special light stock. Unique butt plate and cheek piece adjustment. Swivel rails for harness and target sling. Magazine holder for four 5-shot magazines.

Includes: front sight 6865, five 5-shot magazines, replacement firing pin, adapter for dry firing, 2 support plates, screwdriver, Allen key, user manual and original test fire group.
The arm sling 4737L-U3 is also included with the left hand versions.

ANSCHÜTZ sight set according to choice, e.g. 6827 with rear sight 6807 and five inserts.

Item No.: 009791
Item No.: 007658 (left hand version)

ANSCHÜTZ 1827 F Sprint nitrided

- With heavy barrel (Ø18 mm).

Item No.: 010066
Item No.: 009856 (left hand version)

2 ANSCHÜTZ LASER POWER II Biathlon

- Hazard-free Class 1 laser technology.
- Not a gun in terms of the firearms law.
- Suitable for all age groups.
- For leisure time summer & winter biathlon competitions.
- As a PR attraction for fairs and events of all kinds.

Item No.: 010333

3 STEYR Biathlon Air Rifle

- The STEYR LGB 1 air rifle is the ideal training weapon for all biathletes and also the perfect competition weapon for junior and summer biathlon. Thanks to its individually adjustable stock and engineering perfected to the last detail the LGB 1 impresses with the greatest functional safety in summer or winter conditions.
- Quality barrel by ANSCHÜTZ.
- Sighting device with snow cover for insert holder and rear sight.
- Grooved receiver for hand stop and target sling.
- Carrier for 8 magazines.

Item No.: LGB1
Item No.: LGB1L (left hand version)

4 Morini CM 22 M

- The standard pistol is available in steel.
- The trigger unit is implemented in aluminium.
- The linear introduction of the cartridge from the magazine into the chamber, results in a more favourable angle to the magazine and thus more room for a longer barrel.
- Adjustable buffer system for the purpose of matching to cartridge power.
- The hammer spring can be adjusted to individual requirements.
- Sighting device fully adjustable in height and width
- Easily dismantled: One screw for the handle and another for the action.
- The pistol has no plastic parts.
- Anatomically shaped Morini handle with adjustable hand rest available in various sizes for right or left-handed shooters.
- Standard insert width: 4.0 mm
- Special accessories: alternative inserts of 3.5 mm and 4.5 mm also available.
- Delivered in hard shell case, incl. accessories.

Item No.: CM22M (Weight: 1210 g)
Item No.: CM-22RF-A (Weight: 750 g)
Item No.: CM-22RF Trigger unit made of steel (Weight: 940 g)

1

2

3

4

Calibre: .22 l.r.

5

Calibre: .22 l.r.
Weight: 1240 g / 1175 g

6

Calibre: 4.5 mm (.177)
Weight: 1020 g

7

Calibre: 4.5 mm (.177)
Weight: 970 g

8



9

5 Morini CM 84 E

- Electronic, ball & socket mounted, maintenance-free and absolutely dry precision trigger.
- Supplied with three trigger springs. Fitted: 22–160 g. Enclosed: 0–22 g and 160–300 g.
- A light barrier on the trigger secures against the unintentional firing of a shot.
- Stable firing position and perfect results due to the extremely low vibration precision barrel, designed as a direct extension to the wrist by Lothar Walther.
- Morini glove grip in high quality walnut wood.
- The adjustable handles are available in various sizes for right and left-handed shooters.
- Rear sight continuously adjustable in width to suit the individual.
- Standard insert: 5.0 mm
- Special accessories: alternative inserts of 3.5–4.0–4.5–5.5 6.0 mm
- Supplied in an elegant hard-shell case, including tools and cleaning rod

Item No.: CM84E (with single stage trigger)
Item No.: CM84E-TS (with two stage trigger)
Item No.: CM84E-Light (with single stage trigger, Weight 1175 g)

6 Morini CM 162 EI

- Temperature-independent compressed air is used as the propellant.
- Detachable, exchangeable cylinder with built-in pressure gauge.
- Compressed air reserve 200 bar, sufficient for approx. 180 shots (per cylinder).
- When the charging pressure falls, the cocking lever is disabled by a latching hook.
- Electronic, maintenance-free, absolutely dry precision trigger, adjustable from 300–700 g, max. 1000 g (first stage from 50–300 g).
- Battery sufficient for more than 15,000 shots, with switch for battery conservation, indicator light for battery state.
- Dry firing possible without any problems.
- Anatomically shaped Morini walnut handle with adjustable hand rest available in various sizes for right or left-handed shooters.
- Consistent discharge ballistics due to built-in compensator.
- Rear sight adjustable in height and width.
- Standard insert width is 5.0 mm.
- Special accessories: alternative inserts of 3.5–4.0–4.5–5.5 6.0 mm

Supplied in hard-shell case with tools and brass filling adapter, and also two compressed air cylinders, both fitted with pressure gauges.

Item No.: CM162EI

Morini CM 162 EI (short)

Same design and features as the well-known CM-162EI model, but with a short barrel and weight only 970 g. Compressed air supply 200 bar, sufficient for approx. 150 shots (per cylinder), sights moved closer to the wrist.
Item No.: CM162EI-SHORT (not shown)

7 Morini CM 162 MI

Same design and equipment as the CM162 EI model, but with a mechanical trigger system.

Item No.: CM162MI

8 Morini Weights

Ⓐ Cylinder weight, 60g for Models CM-162MI and EI
Item No.: CM-106

Ⓑ Cylinder weight, 80g for Models CM-162MI and EI
Item No.: CM-107

Ⓒ Barrel weight carrier, 60g including 4 x 5g weights for Models CM-162MI and EI
Item No.: CM-105

Ⓓ **Barrel slide weight set with 4 x 5g weights**
Item No.: CM-108

9 Morini Handle Modelling Paste

Item No.: CM400 (Can 125 ml)
Item No.: CM401 (Can 400 ml)

ahg F27A

1 ahg F27A Precise

This highly accurate small-bore target rifle with straight pull action has been developed as a result of close cooperation with experienced target shooters and the knowledge resulting from it.

The use of high quality materials, combined with solid and tried and tested technology, provides the precision required, not only by top class shooters, to be successful. Biathletes worldwide already value the reliability, precision and the operating convenience of the straight pull action during the loading procedure.

The centralised locking mechanism of the straight pull action with the receiver offer optimum absorption of the forces created at shot release.

Milled from solid, high tensile aluminium, this stock has a very slim fore-end with large radii and is suitable for all hand sizes.

he wedge shape of the longitudinal axis of the stock was calculated using complex analysis programs. Consequently, optimum vibration behaviour, stability and shooting precision have been achieved.

Multifunctional, stable and variable cheek piece notch adjustment with especially large adjusting range and precise adjustment of height and lateral settings allows an optimum adaptation/ correction to the shooting position. The cheek piece can be adjusted in two different ranges.

Includes:
F27A in Precise aluminium stock, with for-end raiser block and ahg Integral 6229 hand stop, without sights.
Item No.: F27A-660-Precise
Item No.: F27A-690-Precise

2 ahg F27A in G & E Aluminium Stock

Includes:
F27A in G & E RS II aluminium stock with for-end raiser block and ahg Integral 6229 hand stop, without sights.

Item No.: F27A-660-G+E
Item No.: F27A-690-G+E

1

2

Asian Games Doha 2012

At the Asien Games in Doha, Qatar, the Chinese shooter Du Li equalized the world record (594 rings) with her Anschütz F27A sports rifle.
We congratulate Du Li on her outstanding result!

Model	Stock type	Calibre	Barrel length	Rifling	Overall length	Sighting line	Weight	Version
F27A-660	Precise	.22 l.r.	66 cm / 25.9"	66 cm / 25.9"	106-109 cm / 41.7"-42.91"	80 cm / 31.4"	5.3 kg / 11.66 lbs	Single loader
F27A-660	G & E Alu	.22 l.r.	66 cm / 25.9"	66 cm / 25.9"	106-109 cm / 41.7"-42.91"	80 cm / 31.4"	5.3 kg / 11.66 lbs	Single loader
F27A-690	Precise	.22 l.r.	69 cm / 27.1"	69 cm / 27.1"	109-112 cm / 42.91"-44.09"	83 cm / 32.67"	5.6 kg / 12.34 lbs	Single loader
F27A-690	G & E Alu	.22 l.r.	69 cm / 27.1"	69 cm / 27.1"	109-112 cm / 42.91"-44.09"	83 cm / 32.67"	5.6 kg / 12.34 lbs	Single loader
F27-A-690 Left	G & E Alu	.22 l.r.	69 cm / 27.1"	69 cm / 27.1"	109-112 cm / 42.91"-44.09"	83 cm / 32.67"	5.6 kg / 12.34 lbs	Single loader

3

3 LG 110 Match

Developed by target shooters for target shooters and produced by hand - the STEYR LG 110 MATCH has every right to be called the new dimension of target rifles. It possesses without compromise exactly the functionality a shooter needs on the range and in competition: Perfect handling, individual adaptation within seconds and unbeatable accuracy!

- Vibration-free complete system.
- Maintenance-free original STEYR stabiliser eliminates recoil.
- Revolutionary lateral stock adjustment.
- Dry firing option can be activated at any time without a tool.
- Multidirectional grip adjustment.
- (Single stage) ball-bearing mounted trigger freely and conveniently adjusted in seconds.
- Continuously adjustable trimmer on the butt plate.
- MATCH completely equipped as standard: Barrel and stock balance weights, raiser block.

Item No.: LG 110 Match

4

4 LP 2

Nickel plated barrels, anodised aluminium surfaces and legendary precision make the LP 2 the ideal match pistol! The best materials and the most modern manufacturing techniques symbiotically combined. Even the trigger system and the grip are to the highest STEYR competition level!

The LP 2 dispenses with the barrel unit, barrel bore and stabiliser, but still has all the features that make a competitive competition pistol. With the loading pin system it is easy to operate and it can be optimally adjusted to the shooter: modifiable sighting line, specially designed barrel weights which, as with all STEYR air pistols, lie on the axis of the barrel.

Item No.: LP 2

5

5 LP 10

A stabilizer with very high density eliminates recoil. Consistent shot for shot, without any readjustment, independent of the bullet weight.

First stage pull and second stage pull, first stage travel and trigger stop – the STEYR trigger system, which has been proven a thousand times over, offers you all the options for continuous adjustment to your own trigger technique.

There is also an optimum sighting line for you – depending on your skill and how strong your nerves are, you can set it continuously between 316 and 365 mm. Likewise you can set the width (up to 5 mm) and depth of the rear sight notch continuously and entirely to your habits.

Adjusting, pivoting in all directions – just so that the feel of the weapon fits you perfectly. You no longer need to carve out, bend or otherwise finish it yourself - the STEYR handle piece fits your hand perfectly!

Item No.: LP 10

6

6 STEYR Hunting 5

The 5-shot air rifle for the hunt!
Like all STEYR air rifles, the new HUNTING 5 wins over as a result of the use of high quality materials and the highest quality based on decades of experience in the development and manufacture of compressed air weapons.
The magazine allows five rapid shots and maximum safety, as the bullet is fired directly from the magazine. When the magazine is removed there will be no bullet in the barrel.
The HUNTING 5 functions with a well-tried action from the biathlon field which has proven to be reliable also in winter.

- Recoil-free action
- Simple loading, bullet fired directly from the magazine
- Maximum safety, as there is no pellet in the barrel when the magazine is removed.
- 650 mm barrel for maximum performance and a longer compressed air cylinder for greater capacity
- Many possibilities: Depending on calibre (4.5/4.0/5.5), available with an energy of up to 40 joules

Item No.: Hunting5

LP 10 E

- Non-wearing training trigger.
- Optimum control of the pistol during firing, as the trigger pressure on the finger is maintained.
- Newly developed compensator with 8 channels to absorb turbulence in front of the muzzle.
- More finger freedom due to enlarged casing.
- Handle setting maintained by flexible electronics.
- Unrestricted adjustment possibilities within the 500 g trigger weight.
- Capacity 35,000 shots (2 standard 1.5 V AAA batteries).

Item No.: LP 10 E (not shown)

ANSCHÜTZ ACCESSORIES

1 ANSCHÜTZ Universal micrometer rear sight 7002/20
With elevation and windage adjustment by means of ratchet screws.

	10-clicks	20-clicks
10 m	0,4	0,2
50 m	2,0	1,0
100 m	4,0	2,0

Item No.: 000968 (20-clicks)

2 ANSCHÜTZ precision rear sight 6805/10
With anti-glare tube. Adjustment from click to click 0.4 mm (at 10 m), 2.0 mm (at 50 m).
Item No.: 000956

3 ANSCHÜTZ Sight Set 7020
Complete sight set with front sight 6832, universal rear sight 7002 and metal insert set. Suitable for all current target rifles.
Item No.: 000937 (10-clicks)
Item No.: 000938 (20-clicks)
Item No.: 000940 (20-clicks, left hand version)



4 ANSCHÜTZ Sight Set 6834
Complete sight set with front sight 6832, universal rear sight 6805 and metal insert set. Suitable for all current target rifles.
Item No.: 000934 (10-clicks)

5 IRIS DISC 9565
With 5-colour filter and full polarisation.
Item No.: 001043

6 IRISDISC 9560 with 5-colour filter
Item No.: 001038

7 IRIS DISC 9510
Continuously adjustable from 0.8 – 2.2 mm.
Item No.: 001045

8 SPIRIT LEVEL 6830
Internal, scale, black/silver.
Item No.: 001072

9 SPIRIT LEVEL 6930
Overhead, scale, black/silver.
Item No.: 001073

10 FRONT SIGHT 6832
Radially tilting.
Item No.: 000982

11 OPTICAL LENS
Item No.: 001389 (0.3 diopters)
Item No.: 001390 (0.5 diopters)

12 Rubber Eyeshade 6700-20.
Item No.: 001405

13 Installation Kit
Clamping piece and screws.
Item No.: 009279



14 RING WEIGHT
Weight: 25 g. Inside diameter 12 mm.
Item No.: 001565

15 BARREL WEIGHT 4750
Weight: 68 g. Inside diameter 20 mm.
Item No.: 008313

16

17

18



19

20



21

22

23

24



25



26

27



28

29

16 AIR RELEASE SCREW
- For emptying the compressed air cylinder.
- Suitable for Anschütz compressed air rifles.

Item No.: 001520

17 Refilling Adapter
- Adapter with compressed air blow-off screw and air filter for refilling bottle.
- Suitable for Anschütz compressed air rifles.

Item No.: 001521

18 RAISER BLOCK 6713/2
- for Match products with screwed-on V-block.
- For Models 1407–1813.

Item No.: 009161

19 RAISER BLOCK 6817
- Extremely sturdy clamping strips guarantee 100% fit and are also suitable for large bore rifles.
- For V-block slot 11 to 13 mm.
- Suitable for Anschütz models from Series 1913.

Item No.: 001064

20 SIGHTING LINE EXTENSION
An optimum combination of sighting line extension and raiser block, specially developed for bench rest shooting. The benchrest shooter looks through the sight set in a completely different way. Due to the displacement to the rear and upwards, it is possible to adapt to the different shooting positions without compromise. 200 mm For Models 1407–1813.

Item No.: 008551

21 HAND STOP with Sling Swivel 4751
Individually adjustable.

Item No.: 001131

22 HAND STOP with Sling Swivel 4752

Item No.: 001132

23 BIPOD 4770

Item No.: 001098

24 Fore-end Raiser Block 2213-8500
47 mm high, 170 mm long, natural/blue.

Item No.: 008692

25 Fore-end Raiser Block 2213-8550
24 mm high, 315 mm long, natural/blue.

Item No.: 008683

26 Fore-end Raiser Block 4852/1
Black, height 38 mm

Item No.: 001139

27 Fore-end 4860
PRO-Grip, adjustable, 20 mm high and 248 mm long.

Item No.: 007957

28 Forend Raiser Block Alu Precise
Adjustment range 25 – 38 mm.

Item No.: 011621

29 Fore-end Raiser Block 4856
Height: 22 mm (direct mounting) or 32 mm (with swivel rail). Can be extended in height in 10 mm steps by using several rails. Supplied with one swivel rail. Length: 175 mm, Width: 50 mm

Item No.: 001140

ANSCHÜTZ ACCESSORIES

1 BUTT PLATE CARRIER 2213-8300
With tilting pillar guide for small-bore aluminum stocks.
Item No.: 001114

2 Heavy Steel Pillars
Approx. 100 g, for cheek piece adjustment, 71 mm long.
Item No.: 001186

3 Heavy Steel Pillars
Approx. 100 g, for butt plate adjustment, 71 mm long.
Item No.: 001187

4 HOOK BUTT PLATE 2213-8700
Complete with guide plate.
Item No.: 001119

5 Weight carrier
For 9003/8002 butt plate carrier and cheek piece, approx. 58 g.
Item No.: 007557

6 Pistol Grip, Natural-Blue
For Models 2002 and small-bore aluminium stocks.
Item No.: 008693 Size M
Item No.: 008694 Size L
Item No.: 008695 Left hand version, Size M
Item No.: 008696 Left hand version, Size L

7 ALUMINIUM BUTT PLATE 4759
Item No.: 001127

8 Rubber Butt Plate 4709 A
Straight, including guide plate 4709 A-U2/1 and set screws.
Item No.: 001468

9 Additional sliding weight
for aluminium swivel rail, approx. 180 g.
Item No.: 008542

10 Guide plate 2213-8510
with spacer and guide pillar.
Item No.: 001118

11 Spacer
Item No.: 002011

12 Guide pillar
Item No.: 001117

13 Trigger Blade
Item No.: 007434

14 Trigger Blade
Item No.: 008541

15 Firing Pin 1807-12
with spring and spring support.
Item No.: 008570

16 Cheek Piece incl. Carrier
Cheek piece incl. aluminium cheek piece carrier, natural-blue.
Item No.: 008691

17 Cleaning Rod Guide 4401
For small-bore target rifles and parlour rifles.
Not suitable for Models 1903 and M64.
Item No.: 001499

18 Tube of Special Grease 4425
Item No.: 001489







Fig. with ring weights 001514

19 Aluminium butt plate bench rest 4759A
Includes fastening elements. Only while stocks last.
Item No.: 008583*

20 Butt plate extension for 4759
For bench rest shooting.
Item No.: 008432

21 Long Rail
For telescopic sight.
Item No.: 001061

22 PRO-Grip Grip for Precise ALU Stock
Item No.: 011029 Size M
Item No.: 011035 Size L
Item No.: 011036 Left hand version, size L

23 Pistol grip, PRO-Grip
For aluminium stocks, includes trigger guard.
Item No.: 008088 Size M
Item No.: 008087 Size L
Item No.: 008422 Left hand version, size L

24 Precise Barrel Extension
Precise barrel extension, suitable for 1907 and 2007/660 und from barrel identification number (LKZ) 588. Ø 23.85 mm
Item No.: 011588

Precise barrel extension, suitable for 1913 and 2013/690 and from barrel identification number (LKZ) 588. Ø 25.65 mm
Item No.: 011634

When ordering, the exact outside diameter of the barrel must be measured at the muzzle and specified!

25 Precise Aluminium Pillars
For butt plate adjustment, length 90 mm, 2 pcs, 70 g, Ø 15 mm.
Item No.: 011023

26 Precise Steel Pillars
For butt plate adjustment, length 140 mm, 2 pcs, 330 g, Ø 15 mm.
Item No.: 011027

27 Precise Butt Plate Carrier with Pivoting Pillar Guide
Item No.: 011038

28 Precise Small Bore Cheek Piece Carrier incl. Cheek Piece
Item No.: 011037 right
Item No.: 011140 left

29 Precise Air Rifle Cheek Piece Carrier incl. Cheek Piece
Item No.: 011794 right
Item No.: 011795 left

30 Precise Trigger Guard
For air rifle and small-bore.
Item No.: 011408

31 Clamping Strips
For butt extensions 1918/2018 or attaching ring weights, weight: 220 g.
Item No.: 011405

32 RING WEIGHT
2013-U82, weight: 75 g.
Item No.: 001514

HUNTING ACCESSORIES

MICROTEX

The ahg functional underwear for highly active hunting

Ideal for physical hunting activities such as, e.g. mountain hunting, battue and beat work.
Functional and thermal underwear made from double layered Tactel Aquator.

In contrast to purely natural fibres this underclothing is based on a double layered knitted fabric. The inner Tactel microfibres facing the skin transport moisture away from the skin. When the moisture reaches the outer layer of cotton, it is distributed over a large surface area. Rapid evaporation can thus take place.

Microtex keeps the skin dry and thus prevents drenching and cooling of the skin.

Properties:
- Moisture-regulating.
- Breathable.
- Temperature-regulating.
- Kind to the skin.
- Dimensionally stable but elastic.
- Easy care.

Material: 35 % polyamide, 65 % cotton

1 Shirt
short sleeve, sizes S-XXXL
Item No.: 10113

2 Shirt
long sleeve, sizes S-XXXL
Item No.: 10110

Pants
with fly, sizes S-XXXL
Item No.: 10115

3 Undergloves
Sizes S-XXXL
Item No.: 10123

4 Balaclava
Item No.: 10120

5 Thermo-collar
Item No.: 10121

ALASKA

The ahg functional underwear for hide hunting

Ideal for long hide hunts in the bitter cold.
Functional underwear made from synthetic fibres.

Alaska combines pleasant warmth with first class wearing comfort. In contrast to pure natural fibres, acrylic does not store body moisture in the fibres and thus provides comforting warmth over the whole body. Problem areas such as, e.g., joints, remain soothingly warm, even in very low temperatures.

Alaska is thus the ideal underwear for the cold seasons.

Properties:
- Extremely heat insulating.
- Kind to the skin.
- Keeps its shape.
- Non-iron.
- Anti-rheumatic.
- Highly elastic.
- Easy care.

Material: 100 % polyacrylic

6 Shirt
long sleeve, sizes S-XXXL
Item No.: 10100

Pants
with fly, sizes S-XXXL
Item No.: 10105

7 Hunting glove NO WIND PRO

for the utmost demands, made from Pittards carbon fibre / leather with digital embossing. Water repellent. Upper hand made of No Wind Pro-Fleece prevents cooling due to the wind.

Sizes: 7,5 – 10,5

Material: 45 % leather, 55 % Polaire polyester

Item No.: 10001

8 Anschütz ceramic coating

Anschütz Keramik Coat is a heavy-duty PTFE/ceramic coating for all types of firearms and knives. Despite its excellent lubricating properties, Anschütz Keramik Coat is residue free; it forms an invisible film on the weapon. Provides long term protection from corrosion. Anschütz Keramik Coat works on metal and plastic right from the first treatment – even with older firearms.

- Residue-free, non-greasy coating.
- Prevents dust from accumulating.
- Long lasting effect.
- Economical in use.
- Salt and fresh water resistant.
- High temperature resistant from 40 °C to +750 °C.
- Cleaning of the firearm is made easy.

Anschütz Keramik GunCoating 100 ml aerosol can
Item No.: 563
Anschütz Keramik GunCoating 100 ml liquid
Item No.: 564
Anschütz Keramik GunCoating 300 ml aerosol can
Item No.: 565

9 Shooters' SERVICE BOX

- Storage space for all cleaning utensils.
- Clear organisation of all the parts stored within.
- Removable base.
- Rubberized, plug-in rifle holder.

Size: 56 x 36 x 29 cm

Item No.: 537

10 Aluminium buffer cartridges (2 pcs.)

- Gentle uncocking of the weapon.
- Danger-free dry firing.
- Safe storage.
- Exact ammunition dimensions.

Item No.: 1313 (Cal. .308 Win)
Item No.: 1314 (Cal. 8 x 57 IS)
Item No.: 1315 (Cal. 9.3 x 62)
Item No.: 1316 (Cal. .30-06)
Item No.: 1317 (Cal. .223 Rem.)

11 Microfiber towel

This anti-bacterial, extremely absorbent and quick drying microfiber towel (40 x 40 cm) is supplied in a pouch with a durable front and full net back so that it always remains dry due to air circulation and is constantly ready for use. The pouch has a snap hook and can thus be fastened anywhere, your backpack, hunting bag, fishing vest or even your belt loop..

- Eliminates 99.9% of all bacteria and fungi, including mildew.
- Perfect for cleaning high quality glass such as binoculars or telescopic sights.
- Safely clean and wipe electronic screens at home or in the office.
- Has a deodorizing action.
- FITI and ECO-TEX tested.
- Machine washable.
- Can be safely and easily attached almost anywhere.

Material:
Microfiber towel:
85% polyester, 15% nylon
Pouch: 100% nylon
Snap hook: Aluminum

Item No.: 70100

simply the best...

Kustermann

Das Schützen-Outfit der Weltmeister und Olympiasieger

Dear Target Shooters,

if you are wondering what Kustermann products are doing in an ahg-Anschütz catalogue, we are pleased to inform you that since the 18th of September 2006, ahg-Anschütz GmbH has taken over the production, development and also the marketing of Kustermann shooting sport clothing

For this reason we would very much like to present a small selection from the Kustermann range in our new ahg catalogue.
If you want to know more about Kustermann shooting clothing, then simply request our main catalogue or visit us on the internet at:
www.kustermann-shooting.de

Shooting Jacket - MONACO FUSION
Material: 40% leather, 30% natural rubber, 30% cotton
Item No.: 99150

Shootong Trousers - MODELL 1
Material: 95% cotton, 5% calf's leather
Lining: 100% cotton
Item No.: 99220

Shooting Jacket - MONACO COMFORT
Material: 40% leather, 60% cotton
Lining: 100% cotton
Item No.: 99145

Shooting Gloves
Material: 60% leather, 40% polyester
Trim: 100% nylon
Item No.: 99480

Shooting Boots - MONACO EVOLUTION
Upper material: 100% leather. Sole: rubber.
Item No.: 99300

Shooting Gloves - Modell 6
Material: 60% leather, 40% synthetic leather
Inner lining: 34% wool, 33% viscose, 33% polyacrylic
Padding: 100% rubber
Item No.: 99460

Made in GERMANY

ahg-Anschütz Handels GmbH
Raiffeisenstrasse 26
89079 Ulm-Wiblingen / Germany
Fon +49-(0)731-42031
Fon +49-(0)731-42034
Fax +49-(0)731-42033
www.ahg-anschuetz.de
info@ahg-anschuetz.de
Verkauf über den Fachhandel

MEASUREMENTS SHOOTING JACKET AND TROUSERS **EVOTOP**

Dealer :

Name and First Name .....
Address .....
Phone/Mobile/e-mail .....
Customer´s signature .....

Date
Place
Order Number

Left handed ☐ Right handed ☐

Lenght
Confection size
Weight

JACKET - EVOTOP

1	Chestline / Circle	
2	Waistline / Circle	
2a	Hipline / Circle	
3	Bottomline	
6	Overarm / Circle	
7	Underarm / Circle	
7a	Shoulder / Circle	
8	From neck to shoulder angle	
10	From neck to waistline	
11	From neck to finger angle	
12	Backline	
15	From elbow to hand angle	
16	Lenght of arm till to spine	



TROUSERS - EVOTOP

2	Waistline	
3	Bottomline	
4	Thigh size / Circle	
4a	Owerknee / Circle	
5	From middle of knee to floor *	
9	Inside leg lenght to floor *	
13	From waistline to waistline	
14	From side - waistline to floor *	

*....Please measure without shoes !

Plastic sling ☐
Leather sling ☐
Buckle sling ☐
End of trousers in leather ☐
End of trousers in Evotex ☐

Leather	Evotex	Piping	Button
1	31		
2	32		
3	33		
4	34		
5	35		
6	36		
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			



Color combination

A	L		A	E	
B	L		B	L	
C	L		C	L	
D	E		D	L	
E	E		E	E	
F	L		F	E	
G	L		G	L	
H	E		H	L	
I	L		I	E	
J	E		J	E	
K	E		K	E	
L	E		L	E	
M	L		M	E	
N	L		N	E	
O	L		O	E	
P	L				
Q	E				
R	E				
S	E				
S2	E				
S3	E				
T	E				

L - Leather
E - Evotex

Notes

D SCHI 15.000 D · 10.000 E · 02/12 · All colours and sizes approximate · We reserve the right to make changes to products and/or prices without prior notification · © berstecher marketingservices

EUR 5.- Nominal charge

Available from your specialist shop:

ahg-Anschütz Handels GmbH
Raiffeisenstrasse 26
89079 Ulm-Wiblingen / Germany
Tel +49-(0)731-42031
Tel +49-(0)731-42034
Fax +49-(0)731-42033
www.ahg-anschuetz.de
info@ahg-anschuetz.de